

Justified Image Grid - Premium WordPress Gallery Documentation & Troubleshooting guide

Table of Contents

Installing.....	4
Setup (quickest, automatically apply to existing galleries).....	4
Setup (quick, basic).....	5
Setup only WP 3.5+ (more versatile but slower)	5
Visual Composer addon with live preview.....	6
Quick customize (using the presets).....	6
Detailed customizing from the plugin settings panel.....	7
Customizing individual galleries by shortcode attributes.....	7
Support.....	9
Settings reference.....	9
General settings.....	9
Load more.....	25
Filtering.....	26
Lightboxes.....	29
Captions.....	37
Overlay effects.....	40
Special effects.....	42
NextGEN.....	43
WP Real Media Library.....	48
Recent posts.....	50
Facebook.....	54
Flickr.....	57
Instagram.....	59

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

RSS.....	60
TimThumb & CDN.....	61
Custom presets.....	63
How to use a preset.....	64
How to create a custom preset.....	64
Changing/updating a custom preset.....	64
Copying a preset.....	65
Deleting a preset.....	65
Preset authority.....	65
NextGEN gallery.....	66
Custom links on NextGEN images.....	68
WP Real Media Library.....	68
Facebook.....	68
The settings part.....	69
Setting up a Facebook app.....	69
Adding a page.....	70
Adding yourself or the logged in user / the user who logs in for you on your computer.....	70
Adding a 3rd party user profile.....	70
Verifying the status of profiles or pages.....	70
Removing profiles or pages.....	70
The shortcode editor part.....	71
Adding an album.....	71
Adding multiple albums.....	71
Overview mode.....	71
Videos.....	72
Flickr.....	72
The settings part.....	73
Getting the Flickr API Key.....	73

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Adding a user.....	73
Verifying the status of users.....	73
Removing users.....	73
The shortcode editor part.....	73
Selecting photostream or favorites.....	74
Selecting group pool, photoset or gallery	74
Selecting collections.....	74
Using Flickr search.....	75
Instagram.....	75
The settings part.....	75
Getting the Client ID and Client Secret.....	75
Access token.....	75
Adding yourself.....	75
Verifying the status of your user	76
Removing your user.....	76
The shortcode editor part.....	76
Content that belongs to you.....	76
3 rd party content that is related to you.....	76
Unrelated 3 rd party content (automatic content aggregation)	76
RSS.....	77
Advanced users.....	77
Filtering.....	78
2-level filtering	78
Jetpack Photon.....	79
CloudFlare.....	80
CDN.....	81
Updating.....	81
Automatic updates (preferred)	81

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

With FTP access	82
Without FTP access.....	83
Backup import/export and uninstall, reset settings.....	83
Localization / translation.....	83
Template tag (header, footer or any other location)	84
In sidebar / as a widget.....	84
Custom links on the images.....	85
To open the custom link to a page in a prettyPhoto iframe:.....	85
To open another image in the lightbox	85
Video support.....	85
YouTube or Vimeo	85
Locally hosted (WP media library) or Instagram videos.....	86
Troubleshooting.....	86

Installing

Watch this video in 1080p for details on how to install/update the plugin.

[#1 How to install](#)

To get notified about updates follow [@belcovio](#) on twitter and check the "Get notified by email if this item is updated" under the [downloads](#) page of your account on CodeCanyon.

Setup (quickest, automatically apply to existing galleries)

1. Go to Settings -> Justified Image Grid -> General settings
2. Find the "Behavior of the plugin" section
3. In the setting "Take over and replace [gallery] WordPress gallery shortcodes", select "Yes, act in place of the [gallery] shortcode." – this will automatically apply Justified Image Grid on your existing galleries.


Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Setup (quick, basic)

Watch this video in 1080p for a narrated demonstration of the setup.

[#2 Settings and creating a gallery](#)

1. Upload **justified-image-grid.zip** to your WordPress installation in the admin area then click Activate. It's ready to use!
The uploader is on the page /wp-admin/plugin-install.php?tab=upload
2. Open a post/page and make sure you have **images added to the post**.
You can do so by clicking 'Add Media' with an icon next to it.
Do not click the 'Insert into page' button. If you already have the **blue gallery block / [gallery]** in the edit area of the page/post, just **delete** it.
3. Add this shortcode wherever you wish to see the grid: `[justified_image_grid]`

If you forget the shortcode you can use the shortcode editor to generate it. It is displayed with this icon:  in the toolbar of the Visual editor (TinyMCE).

Setup only WP 3.5+ (more versatile but slower)


Watch this video in 1080p for a narrated demonstration of the setup.

[#2 Settings and creating a gallery](#)

1. Upload **justified-image-grid.zip** to your WordPress installation in the admin area then click Activate. It's ready to use!
The uploader is on the page /wp-admin/plugin-install.php?tab=upload
2. Open a post/page. If you don't already have a WP gallery: click Add Media. Create a gallery using the tools there then insert it. It'll display the gallery area in light blue (in the Visual editor). Optionally you can keep this intact as this will allow you to edit or reorder images later.
3. Switch to Text (HTML) editor at the right had corner and you should see the WP gallery tag, something similar:
`[gallery ids="654,84,12"]` (numbers are just an example)
4. Copy it and change **gallery** to **justified_image_grid**, like this:
`[justified_image_grid ids="654,84,12"]`
`[gallery ids="654,84,12"]`

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

You can keep both lines, as Justified Image Grid will disable the WP gallery below it. The benefit of keeping it is that in WP 3.5 you can select any image from the Media Library and you might want to change your gallery later. If that happens you should update the `ids=""` attribute each time, to reflect the change in the `[gallery]` shortcode (do this in the Text editor).

If you forget the shortcode you can use the shortcode editor to generate it. It is displayed with this icon:  in the toolbar of the Visual editor (TinyMCE).


Hint: You can make Justified Image Grid automatically take over [gallery] shortcodes to simplify the process!

1. Go to Settings -> Justified Image Grid -> General settings
2. Set "Take over and replace [gallery] WordPress gallery shortcodes" to "Yes"

You can also rename `justified_image_grid` to anything else using the "Shortcode alias" setting.

Visual Composer addon with live preview

JIG includes a VC element:



This brings some new features to the table. Most notable, go to the frontend and edit your galleries. You'll see that **Live Preview** is available to set up galleries much quicker.

If you exit a live preview without hitting "**Save shortcode & close**", your changes will be discarded. Live preview mode makes the Shortcode Editor window transparent so you can interact with the gallery below it. Note that you can **collapse the dialog** to have more space.

If you were using JIG with VC in the past, you most likely added a shortcode to a text block. Unless they contain other content next to JIG, these are **automatically converted** to the new JIG element, just save your post once.

Quick customize (using the presets)

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

1. Go to the plugin **settings page** under Settings -> Justified Image Grid.
It's on the page /wp-admin/options-general.php?page=justified-image-grid
2. Select a preset in the Presets selection near the top of the page.
Click Load & Apply preset button to activate different settings to help you brainstorm.
3. Check if you like the effect by refreshing the post/page you added a shortcode to.
Read further for more customizing.

Whenever you choose a preset, their settings will **set their own values**. They only go as far as their **preset authority** goes. You can see what this means if you click the Edit preset authority button or read the corresponding section here in this manual.. You can't permanently **change** a built-in preset but feel free to build upon them and save you custom presets. Your current settings selection is based on preset 1, by default.

Detailed customizing from the plugin settings panel


1. Go to the plugin settings page under Settings -> Justified Image Grid.
It's on the page /wp-admin/options-general.php?page=justified-image-grid
2. **Edit the settings** here; you can access settings section using the tabs (buttons). Use the contextual help or this document's settings reference for in-depth explanation.
3. Click the 'Save Changes' button in the lower right once you are done so you can check your post/page if you like the result.

You can override any current, global plugin setting on a per gallery basis in the editor of the posts/pages.

Setting any text input field to -1 will result in bringing back the default setting for that field. If you wish to reset most of the settings to default, click the Preset 1 button (or any other preset).

Customizing individual galleries by shortcode attributes

You can use the **shortcode editor** to override almost any setting you have set on the plugin page or in a preset.

1. Go to the post/page edit page.
2. Click on the Justified Image Grid shortcode editor icon: 

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

3. Add/set any setting you wish. **Only those that you touch** will be added to the shortcode. When you are done, click 'Generate shortcode'.
4. Copy your newly generated and selected shortcode, close the modal windows (x in the corner or click the dark area), then paste it in the text.
5. **Save the page** (Update) and check that your post/page has different settings than you set on the plugin's settings page.

Tip: Choose a preset in the shortcode editor AND touch some settings after that. Your defaults will come from the preset, but you'll **extend it** with your own choices. This applies when a preset is close to what you need but not exactly.

When going back to edit the shortcode, **please copy it** before clicking on the icon! Doing so will enable you to paste it into the editor, to **load** all previous settings from that shortcode without having to start over. If you empty a setting or choose 'default', that attribute will be **removed** from the shortcode.

Manually:

The editor is for your convenience so that you don't need to 'code'. However, if you don't have the visual editor enabled you'll need to add the attributes and values manually. The **Settings reference** will be helpful in that case.

Just separate them with a space. You don't need to wrap everything in ' or " – except when you add multiple values (or spaces, words) like CSS margin "10px 0". This is only for the shortcodes, not the settings page. Make sure you **only use the available values** from the table in the Settings reference, with their accepted values.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Support

If the troubleshooting guide didn't solve your problem or you believe you have encountered a bug, please contact us here: <http://codecanyon.net/user/Belcovio>

Important: When asking for support, enter the URL of your page on which you are trying to implement my plugin. Unless we can see what's wrong we can't help you.

Most of the requests are answered in 10 minutes so check your mailbox soon after you have sent your question. You don't have to wait days. If you have a problem please let us help you and it'll be resolved, don't down-rate.

Every bug report will be inspected. If fixed, the project will get an update (which is free via CodeCanyon). If you need help installing / setting up the script, (even after reading this documentation), please check WPKraken.io. Technical support is limited to problems and questions related to the plugin and compatibility issues.

Settings reference

General settings

Setting name	Shortcode attr.	Shortcode values	Description
Override the plugin's settings			
Presets as shortcode attributes	preset	1-20 c1-c* (custom)	You can choose a preset for each gallery individually. Any other shortcode attributes you set will override that particular setting for the preset. Only some of the plugin settings will affect this gallery if you chose a preset within the shortcode. Look up "preset authority" here! There are 20 presets built in and unlimited custom presets. Your custom presets will also show up here.
Mobile preset	mobile_preset	1-20 c1-c* (custom)	Choose an entirely different preset for mobile devices, you likely want to use a custom preset.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

WordPress image sources - Media Library			
IDs (only in the Shortcode Editor)	ids	45,72,236 (comma separated image IDs), featured	As of WP3.5 this is the standard way of obtaining the images for each gallery. They consist of the numerical IDs of Media Library images . You can generate this list using the standard WP Add Media tool, then bring the list over to Justified Image Grid. If you put a * (star character) as the value, ALL photos will be loaded from the library. This setting accepts numerical ranges such as 1-10 or similar, combined with single numbers or however you like to specify it. You can use the word featured , to show the featured image differently, but still with JIG (for example: larger).
Other post/page ID (only in the Shortcode Editor)	id	post/page ID: a number or numbers 456 456,345	The ID of another page or post that has the attached images you'd like to use. Look for the post=5 in the URL bar (when editing other pages or posts). 5 is an example. This can be useful if you are attaching the same images to a different post, like in the preview page of this plugin. It's also used when setting up the gallery in a text widget of the sidebar or as a template tag . Also if you wish to use multiple instances . You can combine several posts together, just use a comma separated list of numbers, and these will be intertwined and displayed as one. Sorting will be applied. Multiple post id values are not available pre-WP3.6!
Exclude these images (only in the Shortcode Editor)	exclude	attachmend id's, comma separated or the word: featured	Use this to exclude an image or images from the post gallery. The image needs to be among the images you were originally displaying. It only works for WordPress images. Go to the Media Library and mouse over the File names. Look at the status bar and note where the links point to. Find the attachment id (a number). You can also use the word featured in place of a number to automatically exclude the featured image. E.g. 21,featured,652

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Include these images (only in the Shortcode Editor)	include	attachment id's, comma separated, featured	You can't use exclude and include together. Include means only these images will be displayed. You can include images that are not attached to the post (pre-WP 3.5). In WP 3.5 just use IDs attribute. You can use the word featured , to show the featured image differently, but still with JIG (for example: larger).
Image categories (only in the Shortcode Editor)	image_categories	comma separated category slugs	Show WP images belonging to a certain category. To categorize images, check out the Enable post tags and categories in the settings. Compatible with MLA – Media Library Assistant . Will search in native WP taxonomies if Media Library Assistant is installed but no results are found looking for the MLA taxonomies. Otherwise MLA taxonomies are searched first and WP taxonomies are skipped if there is a result with MLA.
Image tags (only in the Shortcode Editor)	image_tags	comma separated tag slugs	Show WP images belonging to a certain tag. To tag images, check out the Enable post tags and categories in the settings. MLA is supported!
Image taxonomy (only in the Shortcode Editor)	image_taxonomy	a taxonomy's slug such as post_tag or category or your custom taxonomy	Choose a taxonomy to show images by, if any (not always available). The list automatically detects your active taxonomies. If you haven't enabled post tags and categories in the (JIG) settings nor you have any plugins like MLA to enhance images with custom taxonomies then the drop-down will be just empty. When combined with the above settings called categories or tags, you can achieve an "AND" or UNION mode of selecting images by tags or categories , this is different than specifying the terms as a comma separated list.
Image taxonomy term (only in the Shortcode Editor)	image_tax_term	comma separated term slugs	Enter term slugs, comma separated . These are lowercase values without spaces or special characters. The results can be narrowed by combining with "Image categories" and "Image tags" from above (AND relationship).
Parent ID (only in the	parent_id	A page ID	Show all of the photos from each child page of certain parent page . This is

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Shortcode Editor)			somewhat advanced use, but can be helpful in certain cases.
Row behavior			
Target row height	row_height	a number (pixels), preferably between 100 and a few hundred	The script will target this row height. If you set no max deviation below, some cropping will occur from the sides of the images to maintain this row height at all times. Make sure your images are at least this tall to avoid upscaling.
Row height max deviation (+-)	height_deviation	Make it smaller than the row height, like half or quarter size. Set to 0 to have fixed row height.	Give the script a chance to make images fit by growing or shrinking them relative to the target row height . If you set 200 as height and 50 as deviation, the rows will range from 150 to 250 in height. Rows with more portrait images will be taller ; rows with more landscape images will be lower .
Max rows	max_rows	a number	Only display this many rows . Any other images will not be loaded. If you resize the window some images might not make it into the rows. If you maximize the window again they will be re-added on the fly . Use this setting if you wish to create a banner-like gallery block. Make sure you have enough images to fill the rows. Use 0 height deviation to create a fixed height banner .
Incomplete last row	last_row	normal center hide match flexible flexible-center flexible-match flexible-match-center match-center	You have complete control over what happens when the last row seems to be incomplete. Normal means it'll try to fit the available width but if it were too tall (limited by the row height and height deviation), it'll just display as incomplete at the target height. Center means any row that is not full will have its images centered. It can be the first row when it's the only row . It can be a single picture or multiple pictures it doesn't matter.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			<p>Hide means it'll hide the last row if it's not complete (tries to fit the available width first). This ensures the perfect justified block every time.</p> <p>Match is special because it might not complete the row but visually it'll make it appealing if you have images of the same shape. It's used for a logo showcase or many landscape images (just an example). The last row will mimic the previous row as much as possible. If the images would not fit using the previous row's height, the plugin will find the optimal height to show a full row without cropping.</p> <p>Flexible (for Load More) means it'll hide the last rows when using the Load More feature, but allows the very last row to be orphan, when there is no more images to load.</p> <p>Flexible + Center: Allows the very last to be orphan and its images will also be centered.</p> <p>Flexible + Match: For Load More with same aspect ratio images, combines flexible and match.</p> <p>Flexible + match + center: Allows the very last to be orphan, the row height will match the previous row, furthermore the last row's images will also be centered.</p> <p>Match + center: Matches the previous row's height and center images when they don't form a full row.</p>
Mobile row height	mobile_row_height	a number (pixels), preferably between 100 and a few hundred	Same as "Target row height", but only for mobiles. Optional!
Mobile row height deviation (+-)	mobile_height_deviation	A smaller number than row height. Set to 0 to have fixed row	Same as "Row height max deviation", but for mobiles. Optional!

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		height.	
Thumbnail count and dimensions			
Limit image count	limit	a number	You can set a maximum number of images to load. 'Max rows' can limit this even further.
Hidden limit	hidden_limit	a number	Images above the limit can still be added to the lightbox, until this limit is reached. E.g. have 5 thumbnails but open a gallery of 50 images. The hidden images will only make use of 'link title' for caption. You must use grouping : set link rel to auto. Hundreds of images can slow down prettyPhoto, so use ColorBox/PhotoSwipe!
Spacing between the thumbnails	thumbs_spacing	small number or 0	This is the space between each image. It's not added to the outside of the grid.
Thumbnail aspect ratio	aspect_ratio	a ratio number: 1 1:1 1/1 2.35:1 16:9 4/3 3/4 5:4 4:5 1.5 0.5 or similar	By default, the plugin arranges images in a way that it respects their original aspect ratio and rarely ever crops. However, this may not be desired in all cases. This setting lets you crop the images to a fixed aspect ratio . It's created like this instead of fixed width, to maintain responsiveness. It's Highly recommended to leave empty (for best results of the original layout). It accepts the ratio in just about any format, as it'll calculate the value anyway.
Disable cropping	disable_cropping	no yes yes-mobile	The only case where the plugin crops images if there is not enough height deviation to fit images by resizing. There is no other way. However, you can choose to 'unplug' the mechanism and allow a minimum row height of 50px . This will cause most images to appear slightly smaller than usual, but without cropping . Use it wisely as it alters how the row heights are calculated and is more likely to break the balance between portrait and landscape images.
Randomize thumbnail width	randomize_width	a number or 0	If you wish to make the grid look more interesting, but most of your images have the same aspect ratio , use this

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			<p>setting. Even if your images have different aspect ratios, it still works. So It'll randomly crop or 'extend' images in the range you specify. For example your thumbnail normally appears 300px wide and you enter 100 into this setting. This will result in your thumbnail appear resized to anywhere between 250px and 350px. It won't skew the images, as when it makes them narrower it simply crops from the sides. When it makes them shorter then it basically crops from the top. You'll see. It's set to not crop more than half of the image in any case. Don't worry you are not going to end up with thousands of possible random, cached TimThumb thumbnails. Because one certain image at a specific row height will always have the same randomly generated width. Seeded random number generator is used for the width calculation.</p>
Settings that affect the entire grid			
Order by	orderby	<p>menu_order rand title_asc title_desc date_asc date_desc custom</p>	<p>Choose in which order the images should appear. The default, menu_order is the order you set in the gallery settings (by dragging & dropping). This will only be applied when you load images from a WP post/page gallery, Recent posts or NextGEN galleries, albums, tag galleries. For other image sources, the order can be set up in the image source's admin area or similar.</p> <p>Use a plugin like "Simple Custom Post Order" to drag and drop posts or pages to have a custom order. To make use of it and to not sort Recent posts by date, use the 'custom' option here. For recent posts, menu_order is equivalent to date_desc.</p> <p>Random can be used with any image source.</p>

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Width mode	width_mode	responsive_fallback fixed fixed-mobile fixed-desktop	<p>This option helps you when you are using tabs or sites where you'd get the 'Element is too thin or invisible' error. In most cases the default option will do all that is necessary to display the gallery, but sometimes you need or want to go for fixed width. The width amount will be the next option.</p> <p>The mobile/desktop specific options only cause the width to be fixed on the desired medium, allowing the other to be responsive.</p>
Custom width (whole grid)	custom_width	number without px	<p>This value is used for fixed width, but also for the responsive fallback value for the previous, Width mode option. In that case it'll show your gallery first with this width (if automatic size is not available), then change with window size automatically, keeping the responsive feature. This is sort of a fixed width. It's especially useful for tabs.</p>
Margin around gallery	margin	any CSS margin value	<p>It's the space around the boundaries of the gallery. You can use CSS shorthand. E.g. "5px 0 10px 20px" which is "top right bottom left", respectively.</p>
Animation speed	animation_speed	number in ms max advised: 1000 no animation: 0	<p>Set the speed of all animations in milliseconds (300 for 0.3 sec, etc.) - it's for the initial fade-in of images upon loading, and for the mouse over effects.</p>
Custom class	custom_class	any valid CSS/HTML class name text, space separated for multiple	<p>To make it easier to target this gallery with CSS. It gets added to the automatic classes of the gallery instance. It could be useful for certain custom lightboxes too.</p>
Min height to avoid "jumping"	min_height	something around 1000	<p>Set a number like 600 or 1200 if you don't have a sidebar and the footer appears before the gallery loads. This will make the gallery take up some space even before it's loaded. Don't set anything higher than the gallery unless you want that extra space!</p>
Background behind thumbnails	loading_background	CSS background property like a color or even URL.	<p>You could specify a grey (or other) color like Flickr #cccccc or #eaeaea or even a loader animation that only shows during loading of thumbnails and eventually gets covered by the</p>

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			<p>thumbnails. Accepts CSS background property.</p> <p>Example of an image on a light grey background:</p> <pre>url('http://full.path/to/image.png') center center no-repeat #eaeaea</pre>
Custom link override	link_override	An absolute URL.	Use this custom link on every image in the grid, for special purposes. Overrides JIG Link field. Usable with any image source. Useful for "random" or "teaser" widget galleries where click on any photo will take you to the main gallery.
Separator character	separator_character	a character or more	Used for separating the download link and NextGEN tags from the description , the default is a dash . You can see these in the lightbox or even on the thumbnail in case of NG tags. To show NextGEN tags use the "Display tags" setting on the NextGEN tab.
Text to show before the grid - Show custom text before (SCE)	show_text_before	(no value for yes) no	Add any arbitrary text or HTML text before every instance of Justified Image Grid. This can be a simple set of instructions for your visitors or similar. Can be disabled on individual instances in the shortcode editor.
Text to show after the grid - Show custom text after (SCE)	show_text_after	(no value for yes) no	Same as previous but it's added after each gallery.
Behavior of the plugin			
Take over and replace [gallery] WordPress gallery shortcodes	no shortcode attr.	-	Choose yes if you wish to automatically use Justified Image Grid in place of your current galleries . It's a quick way to transform/update all your previous galleries into Justified Image Grid. You may use [gallery] or [justified_image_grid] as well in the future. The 'Hide' mode just disables all instances of [gallery] , but only after a JIG shortcode so you can keep both in the post if you want to. You can also choose to leave the original

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			galleries alone , regardless of the presence of JIG shortcode(s).
Use JIG as MLA display (automatically take over)	no shortcode attr.	-	Choose yes if you wish to automatically use Justified Image Grid in place of your current Media Library Assistant galleries. Useful for already established galleries. You can use or disable JIG display individually by adding just <code>mla_alt_shortcode=justified_image_grid</code> or <code>mla_alt_shortcode=no</code> to any MLA shortcode, respectively.
Shortcode alias	no shortcode attr.	-	If you or your client prefers to use a shorter name for the shortcode , you can enter it here. It'll be created in addition to <code>[justified_image_grid]</code> , and optionally in addition to <code>[gallery]</code> . Example: <code>[jig]</code> , to have this just enter this into the field: <code>jig</code>
Allow animated GIFs	<code>allow_animated_gifs</code>	no yes	Animated gifs are resized, but frozen by (TimThumb) or have bad frames (Jetpack Photon). If you allow animated gifs, they won't be resized (processed) as thumbnails, and the 'Thumbnail aspect ratio' and 'Randomize thumbnail width' settings won't apply for them. However, they'll display properly! The size of them will be the same with either on or off, but there is a difference between the size they are served. When this setting is on, the browser will resize the image to the appropriate size, while they could be much larger and wasting bandwidth. It's a compromise in order to show animated GIFs properly.
Allow transparent PNGs	<code>allow_transp_pngs</code>	no yes	Images intentionally show up with white background to prevent some rendering problems. Only enable if you really want to use transparent PNGs.
Process shortcodes	<code>process_shortcodes</code>	no yes	Process shortcodes in all captions from all image sources. It lets you add some automatic content such as links or add to cart buttons or maybe exif info. The shortcodes are processed from every image source available.
Wrap text	<code>wrap_text</code>	no yes	Makes your text content flow to the right of the gallery , if you are using just

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			one image or a similar setup (incomplete row).
Reading direction	reading_direction	ltr rtl	Switch this for a different reading direction . Also check out the text align settings on the captions tab .
Disable mobile hover interaction	disable_mobile_hover	no yes	If you have mouse over effects they may require double tapping on mobile devices to open the image . The first tap will imitate the hover. You can make sure one tap will be enough by setting this to 'yes' . Use other mobile related settings to freeze a certain state for caption, overlay and special effects on mobile devices (on their respective tab).
Disable right mouse menu	mouse_disable	yes or no	This can protect your images from easy theft by disallowing the right click menu (including 'Save as...'). Choose yes if you want to disable the menu on right click. It'll only disable those menus where you could save the image.
Error checking	error_checking	yes no	This waits for all images to load or fail then re-creates the grid without the unloadable images . If you resize the browser window the list of unloadable images are preserved. If you set up max rows and there are unused images , it'll try to fetch those new images to compensate the loss of the unloadable images. However the image count limit is applied on the server side and it won't load more images (good or fail) than the limit you've set. It's vital to keep this enabled for production. You can disable it for testing. Errors are common on Facebook. If no images are displaying at all you have a different problem that this can't solve.
Custom link's target	link_target	_self _blank video off (only in SCE)	Select a target when using custom links instead of the automatic links that point to photos. The _self means it'll open in the same tab/window, while _blank can be used to open in a new tab/window . Set to 'video' (lightbox) if you are mostly linking to videos (and showing them in the prettyPhoto lightbox). The 'video'

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			<p>setting is a versatile option, and it can be used to open RSS permalinks in the lightbox (prettyPhoto) as well! It can also be used to display another image in the lightbox, by specifying an image link as JIG Link and selecting this as target.</p> <p>The setting 'off' can be useful if you are showing the same image twice on your site. In one context, it may be a representative of another page so you added a custom link to it. But on the page it links to, you still want to show the image, this time without the custom link. This is only available in the shortcode editor.</p>
Follow mode for custom links	custom_link_follow	yes no	Tell search engines to follow the custom link to the external site . This will only be added to a custom link you set in the JIG Link field in the media editor. See the end of the docs.
Only for logged in users	only_for_logged_in		Restrict the gallery to users who have logged in . Those that are not logged in will see a customizable message that says please log in .
Please log in message	no shortcode attr.	-	What to display when the user is not logged in and the "Only for logged in users" setting is enabled. The text can be HTML formatted and will show as-is.
Blog view limit	no shortcode attr.	-	Limits number of images when the post is displayed among others (blog view, archives, author posts, category listing etc.) and shows a message to view the rest of the gallery (links to the full post like Read more). The gallery only shows up in these views if your theme processes shortcodes, shows the full posts and not just excerpts. Since this doesn't just affect individual galleries but how multiple are displayed (as part of posts), these settings are not available in the Shortcode Editor. The setting should be used on certain type of photo blogs (consistently showing many photos in posts).
Blog view limit	no shortcode attr.	-	The text for the link below the gallery

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

message			that is truncated by the "Blog view limit". It should indicate that there are more images.
Additional tools or utilities (only in the plugin's settings)			
WP image tags and categories	no shortcode attr.	-	This feature lets you Show WP images belonging to a certain category . To categorize images, check out the Enable post tags and categories in the settings., just like with NextGEN gallery. You don't need to enable this option if you are using the Media Library Assistant or Media Categories plugins as they do the same thing and JIG is compatible with them. You'll see options to tag and categorize in the media library where you edit the images' captions.
Custom links on images	no shortcode attr.	-	Keep enabled to have the ability to put custom links on images using JIG Link and JIG Target fields in the media library. Links already added won't be removed - to disregard them use the Custom link's target setting with the off option.
WP image custom classes	no shortcode attr.	-	This feature helps customizing only specific images in the grid . When enabled a new field will show up for each image in the Media Library , allowing you to add a custom HTML/CSS class. Then you can target these images with your custom CSS or JS coding (highlighting featured content, hiding captions, changing the look of a thumbnail and so on).
Media attacher utility	no shortcode attr.	-	It is not really needed after WP 3.5 but enable to re-attach images to posts/pages in the Media Library . For a more complete solution, get the WP Better Attachments plugin (you can 'Disable WPBA Image Crop Editor' as you don't need it for JIG).
Add images to WordPress SEO XML Sitemap	no shortcode attr.	-	Exposes images to the WordPress SEO plugin , so it can display them in the XML sitemap like regular or NextGEN images. It won't add external images.
Show JIG in feeds	no shortcode attr.	-	Shows full posts in feeds (no excerpts)

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			and processes shortcodes . Images are displayed fixed 150x150 as the justified layout is not available there . By default nothing shows up in the place of JIG.
Developer link			
Automatically play videos	no shortcode attr.	-	Whether or not to play upon loading the video . You can play locally hosted or Instagram etc. videos in prettyPhoto or FooBox using a custom mediaelement.js video player from the WP core.
Display video poster	no shortcode attr.	-	A still frame from the video or a thumbnail can be shown during loading or when the video isn't playing yet. In case they are low resolution you might want to disable them .
Video area background	no shortcode attr.	-	CSS background property, like transparent or black or white or a hex color etc. It's the area behind the video in the video player.
Video slug	no shortcode attr.	-	Appears in the link to the video player page , advanced setting, default is jig-video so make sure to use something unique.
Developer link			
Display (show/hide) developer link	developer_link	show hide	Choose to have a small link in the bottom left corner of the gallery that links back to the plugin's purchase site.
Link text	no shortcode attr.	-	The text to use for the link. The default is this: powered by Justified Image Grid
Envato username for the referral link	no shortcode attr.	-	You can earn affiliate revenue if you enter your username in this field. The default is the author's username.
Advanced (only in the plugin's settings)			
Conditional script loading	no shortcode attr.	-	Leave it on Yes if everything works. If you get JS not loaded errors or the grid doesn't show due to your theme using AJAX , then set this to No .
Scripts to load when using unconditional loading	no shortcode attr.	-	Only when the previous setting is set to No! Unconditional script loading gets every script , but with this you can change that. Untick scripts you never use . If you turn off "Load bundled

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			lightbox versions" on the lightboxes tab, then the lightbox choices will automatically be excluded.
jQuery source	no shortcode attr.	-	<p>Chances are your theme or a plugin on your site uses an old jQuery version. If you encounter errors (red notice) you can use this settings to safely load the latest from Google. If Google is down, it'll load the one from your WordPress installation or from the Plugin's folder. If this doesn't work then one of your plugins or your theme is not using best practices to load jQuery, therefore forces an old one. Contact the plugin author to resolve the problem.</p> <p>If you are using a really old theme and having problems, try the last option.</p> <p>It's always the most optimal to use the version that is bundled with WordPress.</p>
jQuery load location	no shortcode attr.	-	<p>Depending on how clean your site is and what quality plugins you use, you can try loading jQuery in the footer. In a perfect world, it'd be the most optimal for fast page loading, but it can break plugins. However, the option is there just in case you need it.</p>
Shortcode editor button minimum user role	no shortcode attr.	-	<p>You can limit who sees the shortcode editor button in the visual editor's toolbar. Select a role to make only them and roles higher see the button.</p>
SSL verify peer	no shortcode attr.	-	<p>This determines if CURL verifies the authenticity of the peer's certificate. Turn it off if you have SSL errors in 3rd party image sources.</p>
Custom CSS	no shortcode attr.	-	<p>Your custom CSS for the plugin. E.g. you receive a reply from support that you should put this and that into your CSS, then this is the place to add it.</p> <p>You can target specific JIG instances using their unique class, when inspecting them with browser debugger tools. For example:</p> <pre>.jig-7b910b930b147b70ddea72f86941696c</pre>

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			<p>However this will change if you change something in that instance's shortcode.</p> <p>You can target specific images using the following pattern.</p> <p>.jig-contentID-XX-YYYY</p> <p>Where XX is provider id, one of the following: ML – Media Library RP – Recent posts (Post ID) NG – NextGEN gallery FB - Facebook FL - Flickr IG – Instagram</p> <p>This is not available for RSS Feeds.</p> <p>YYYY is the actual image ID in various formats. You can use developer tools to inspect or another way to figure out the ID of an image.</p> <p>To target JIG instances with a certain preset use the following selector:</p> <p>Use .jig-preset-global for presetless shortcodes. Use .jig-preset-10 or .jig-preset-c1 for galleries with a preset (in this example, built-in preset 10 and custom preset 1).</p>
Custom JS	no shortcode attr.	-	Extra JS to add wherever JIG is used.
Backup and uninstall (only in the plugin's settings)			
	On uninstall		<p>Determine what happens the next time you uninstall the plugin. Caches are WordPress transients in wp_options table (used to cache Facebook, Flickr, and Instagram) and a wp_jig_ext_images table (used to cache remote images from Jetpack Photon, RSS, and very old NextGEN installations). This setting will reset on the next install. The updates are made in a way that you are not losing any setting during the process and you don't need to remove any settings either. Full removal is only recommended if you no longer wish to use the plugin and it'll leave absolutely no trace in the database whatsoever. If you just want to clear the caches, there</p>

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

	are separate cache wipe links on their respective pages (Facebook, Flickr, Instagram, TimThumb tabs).
Wipe settings	This removes all JIG settings from the database and the plugin will start over using the default settings . It clears everything, including your 3rd party image source authorization data, but does not clear caches.
Backup settings	You can back up your settings (without caches). Click the button to backup the settings that you can copy to a document on your computer. If you want to backup caches you'll need to export the database, JIG doesn't cover that.
Import settings	Use this to restore from a previous backup. All your current settings will be replaced with the backup.

Load more

Setting name	Shortcode attr.	Shortcode values	Description
Load more (behavior)	load_more	off click scroll hybrid once	The 'Load more' feature lets you display images in smaller batches, like it is on Facebook . Both click and scroll options add a button, but in case of infinite scroll this button is automatically clicked when scrolled to it and is hardly ever seen. It's there to support devices that might not be able to invoke auto scroll. If you are experiencing problems, try to enable the 'Load more infinite scroll device fix' setting available only in the settings, not the shortcode editor. Hybrid mode means you need to activate the infinite scroll by having to click on the Load More button for a first time. Useful if you have multiple galleries on the same page . Once Load More just limit the images you see initially then upon clicking Load More, it'll load all that's left in one go .
Load more only on mobile	load_more_mobile	no yes click scroll hybrid once	Sometimes you wish to display all image on a desktop but with Load More only on a mobile device , to save bandwidth and improve performance. If you set this to yes, the Load More settings will only apply to mobile devices. If you choose a behavior

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			then that behavior will only get applied to mobile devices and can be different on dekstops.
Initially load	initially_load	a number	Amount of images to fetch initially (optional). The gallery will load with this amount of photos. Then you can use a different number to load in batches, using the next setting. This allows faster load time for larger galleries. For efficient infinite scroll, use a larger number for this setting than the normal load more limit.
Load more limit (per load)	load_more_limit	a number	Enter the amount to load initially and also per batch. 10 or 25 or 50 is usually fine.
Load more text	load_more_text	Load more	Enter your text which should be displayed instead of the standard 'Load more'
Load more count text	load_more_count_text	(*count* images remaining)	Leave empty in the settings or enter none in the shortcode editor to disable. Otherwise this is the optional second line text that makes the user aware how many images are remaining. The *count* word gets replaced with the actual count.
Infinite scroll offset	load_more_offset	100	Start the next batch of load more before the end of gallery is scrolled into view. Set in pixels, without px. Larger number means earlier, less noticeable load more.
Load more auto width	load_more_auto_width	on off	Automatically restrict the width of the button to its contents (and center it).
Load more infinite scroll device fix	no shortcode attr.	-	This setting will add meta name="viewport" content="width=device-width, height=device-height, initial-scale=1.0" to the head. This'll help some mobile devices to use the infinite scrolling feature properly.
Load more CSS	no shortcode attr.	-	You can override the look of the Load more button here. Use the Light or Dark links to reset your settings to the desired color theme.
Load more hover CSS	no shortcode attr.	-	Customize the look of the hover state (Load more button).

Filtering

(basically the same for Level 1 and Level 2)

Setting name	Shortcode attr.	Shortcode values	Description
Filter by	filterby	off	To automatically filter by tags in various

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		<p>on Taxonomies: tag category NextGEN gallery and others...</p>	<p>image sources, just set to On.</p> <p>The available taxonomies will be loaded into this setting. You can use any of them to set up filtering by.</p> <p>Choose a taxonomy to filter the thumbnails by. The automatic option will select the Tag taxonomy for the following image sources: WordPress images and posts, NextGEN photos, Flickr and Instagram content. You only need the other options when you wish to filter WordPress content (likely Recent Posts with a custom Post type) by something else.</p> <p>Categories and Tags of posts can be extended to WP images using General settings -> Additional tools or utilities -> WP image tags and categories</p> <p>The NextGEN gallery option will show a filter set of any photo's parent gallery added to it. So you can display many NextGEN pictures then have them narrowed on the fly by their parent galleries!</p> <p>The other options are very useful if you have products to show off with something like WooCommerce, or you manage WP images using Media Library Assistant, as all the custom taxonomies are picked up and are ready to be used for filtering.</p>
Filter style	filter_style	<p>buttons tags</p>	<p>Choose how the filtering interface should look like. Buttons will display a set of flat buttons, great when you have just a few to sort by.</p>
Order filter terms by	filter_orderby	<p>appearance title_asc title_desc random popularity custom</p>	<p>Set an order for the filter buttons or tags. This does not change the order of images. Appearance means they are added in the order they are encountered in images, and it's directly dependent on the order of images. Title means alphabetic sorting. Random shuffles the terms order</p>

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			every time, good for tag clouds. Popularity means that terms with the most images will be placed first, and terms with just a few images will be at the end. Set to Custom if you want to manually specify the terms (they need to exist though). Check out the next setting for this.
Filter terms custom order	filter_custom_order	Comma separated terms (tags) exactly how they appear on the buttons or in the tag cloud.	Manually enter filter buttons or tags by name, comma separated, Case Sensitive! Only those that you specify will be used and in the exact order. This is a manual setting and requires you to know the term names, furthermore filter_orderby needs to be on custom . This setting is more useful in the shortcode editor, set differently for each gallery.
Min count for term	filter_min_count	a number	Only show those filter buttons or tags that have at least this number of images . E.g. you have tags called red and blue , six pictures that are tagged with red and one image that is blue... If this setting is set to 3, then only the red tag filter button will show up. Even though the blue image will be visible, you won't be able to filter by the tag called blue, because its count is only 1, as in one occurrence.
Top x terms	filter_top_x	a number	Limit the number of filter buttons or tags to the top x (any number) that occur in the most images. This is essentially a limit setting, but it does smart limiting, by only allowing filtering by the popular terms (useful for chaotic tags like Instagram).
Use All button	filter_all_button	yes no	Whether or not to use the All button. When not used, the first filter button or tag will be active and loaded instead of an All button with all the photos. This is useful if you don't wish to have an overview and would like to start with a smaller selection of images .
Filter: "All" button/tag text	filter_all_text	Some text: All All posts Everything	Change what appears on the "All" button/tag, e.g. "All posts" etc.
Allow multiple filters	filter_multiple	no or and	Normally, the visitors can only select one term at a time . If this is set to OR , then all images matching any of the selected terms

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			will be displayed. In case of AND , only images that match all selected terms will be shown. Visitors will be able to toggle terms on and off.
Settings for the Buttons style			
Filter button CSS	no shortcode attr.	-	CSS settings for the base state of Filter buttons.
Filter button hover and selected CSS	no shortcode attr.	-	CSS settings for the hover and selected state of Filter buttons
Center filter buttons	no shortcode attr.	-	Align the filter buttons to center. Will not align on IE 7 or lower.
Settings for the Tag cloud style			
Smallest tag's color	no shortcode attr.	-	HEX color value, something light is preferred. You can use the color picker in the top right corner. This will be used for the tag with the least associated items.
Smallest tag's font-size	no shortcode attr.	-	A number in px, something small is preferred. This will be used for the tag with the least associated items.
Largest tag's color	no shortcode attr.	-	HEX color value, something dark is recommended. You can use the color picker in the top right corner. This will be used for the tag with the most associated items.
Largest tag's font-size	no shortcode attr.	-	A number in px, something large is recommended. This will be used for the tag with the most associated items.
Filter tag CSS	no shortcode attr.	-	CSS settings for the Filter tags.
Filter tag hover and selected CSS	no shortcode attr.	-	CSS settings for the hover and selected state of Filter tags.
Center tag cloud	no shortcode attr.	-	Align the filter buttons to center. Will not align on IE 7 or lower.

Lightboxes

Setting name	Shortcode attr.	Shortcode values	Description
What to do when clicking on a thumbnail			
Lightbox type	lightbox	prettyphoto	Choose what you would like to use. This is

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		colorbox magnific photoswipe foobox socialgallery carousel custom no new_tab attachment links-off	<p>what happens when somebody clicks on the image. There are two built in scripts you can use. If your site already uses one of these, please select 'custom' and add the link class and/or rel that your lightbox script is using to identify image links. Themes may customize their version of the lightbox scripts and it's best not to mix them with an original one from this plugin. If you experience this, either disable the theme's or use something different here.</p> <p>Foobox is purchased separately. Social Gallery is also purchased separately. Refer to the paid plugins' documentation about compatibility settings. Use 'attachment' to not open a lightbox, but to show the image on its own WP attachment page. Displays the image on its own in case of non WP native images. You can also use Jetpack's Carousel which you should definitely try if you like using Jetpack services. The new tab setting allows you to open the images on their own, by the browser on a new tab. Can be useful if you show large screenshots like JIG preview site.</p>
Mobile lightbox	mobile_lightbox	magnific photoswipe foobox new_tab links-off no	<p>It's best to load a lightbox suitable for mobile users. However, you can use a different one than on desktops. These are mobile optimized. The default is PhotoSwipe that is free and bundled into the plugin. It uses touch based swiping between the photos.</p> <p>Foobox is responsive and is purchased separately.</p>
Maximum size for lightbox (the image will link to this size)	lightbox_max_size	large full medium other image sizes also accepted	<p>WordPress creates these sizes when you upload an image. Even if your image is smaller, all of these will work. They'll default to the closest available. Don't use Full if you have large images, but use it if you specifically resized them to a web friendly size.</p>
Download link			
Download link for the image	download_link	no yes	<p>This puts a Download link in the area below the image. It'll pop up a browser dialog</p>

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		alt	asking to save the image. The ability to use this feature depends on server support (CURL library). Use alt to display the download link in the other location of the lightbox. You'll most likely need to change this if you are using FooBox or PhotoSwipe. PhotoSwipe requires this to be 'alt', but when using it only as mobile lightbox, it's preferred to have this on 'yes'. The download function is designed for desktops.
Text for the download link	no shortcode attr.	-	You can set up your custom text for the Download link.
What text to show inside the lightbox			
WP field for link title (anchor tag's title attribute)	link_title_field	description title caption alternate custom off	Lightbox plugins can behave differently in terms of where they get the text from as their title and (optionally) their description fields. The 4 options here are the WordPress fields you find when editing a picture's information. With this setting, you can connect any of those fields to the link's title attribute. Jetpack Carousel users only : link title is always derived from 'Title'. This option only controls what to display in the description area (long text), inside Carousel.
WP field for img alt (image tag's alt attribute)	img_alt_field	title description caption alternate custom off	Same as the previous but you can pair a field to the image's alt attribute. For example, prettyPhoto gets the title on the top from the img alt attribute, and description below the image from the link title ... Colorbox will not use this field at all. Jetpack Carousel users only : img alt is always derived from 'Description'. This option only controls what to display in the title area (short, title text), inside Carousel.
Lightbox custom field	lightbox_custom_field	name of your fields comma separated, max 2	1 or 2 WP custom field(s) , comma separated, for one or both of the above settings, respectively. Specify one field if you only set one to "Custom", but two fields if you set both to "Custom field" .
Link attributes (also for custom lightbox)			

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Link class(es)	link_class	one word	Anything you enter here will be added as class of the links on the images. This should only be used for the lightbox selector and not CSS styling unless you know what you are doing, of course.
Link rel	link_rel	jig[*instance*] like(this)	This makes lightbox scripts group images together so you can click next/prev buttons. Set to empty if you don't want that feature. WordPress doesn't allow square brackets in the shortcode attributes but use parentheses and the plugin will convert them to brackets for you. Use brackets in the settings, however! Set it to auto or jig[*instance*] for proper deeplinking support in prettyPhoto and PhotoSwipe4. It'll make this prettyPhoto[id] or jig[id] where the id is the instance number of your gallery. It's useful when you have multiple galleries on one page. If it's auto and you didn't choose prettyPhoto then it'll use colorBox[id] or jig[id]. *instance* gets replaced with the actual ID. This usually seen in the URL bar when a photo is open! Use jig[*instance*] for best results.
Custom attribute name	link_attribute_name	data-lightbox data-lightbox-gallery and similar	This is used together with the next setting. Some custom lightboxes require a data attribute on links , this is the name of that. Example: data-lightbox or data-lightbox-gallery. Use "Link class" and "Link rel" settings for classes and rels, this setting is mainly for data attributes.
Custom attribute value	link_attribute_value	gallery1 gallery*instance* and similar	Some custom lightboxes require a data attribute on links, this is the value of that. The *instance* is replaced by the JIG instance id . Example: gallery1 or gallery*instance* or mygallerygroup.
Use link attributes	use_link_attributes	everywhere desktop mobile	Use this if you want use these (class, rel, custom attribute) - probably your custom lightbox - only on a certain type of devices .
Custom lightbox JS call	no shortcode attr.	-	JavaScript activation/initialization call for your custom lightbox (chosen above). Use it whenever JIG doesn't open your lightbox: for load more, filtering, max rows etc. Refer to the documentation of your lightbox

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			<p>or these examples:</p> <pre>\$(JIG_selector).fancybox(); \$(JIG_selector).nchlightbox(); \$(JIG_selector).swipebox(); \$(JIG_selector).nivoLightbox();</pre>
PrettyPhoto settings			
prettyPhoto social tools	prettyphoto_social	yes no	Toggle Like, Tweet, Pin and +1 buttons in prettyPhoto. If you do not wish to show these, just set this to No.
prettyPhoto social buttons	pp_social_buttons	FTPG GP T GPF any combination! F = Facebook Like+Share, T = Twitter, P = Pinterest, G = Google+	Default is FTPG. Facebook Like+Share, Twitter tweet, Pinterest pin, Google +1. One letter means one social button. With this you can re-order or disable individual social buttons of prettyPhoto!
prettyPhoto deeplinking	no shortcode attr.	-	<p>The smart and advanced options use several server-side logics to make individual Facebook like or share possible. It'll make the liked image appear on Facebook as a thumbnail and upon following the link from Facebook, the liked image will re-open. Likes are individually counted for each image. Also, when your image order changes in a gallery or you add new ones to the top, the Like will still work as it doesn't rely on the numerical index of an image.</p> <p>Smart offers even more: it keeps the URL short, sends the photo's title/description along with its thumbnail to Facebook like/share. Uses content IDs when available, but is based on and falls back to advanced deeplinking.</p> <p>The regular deeplinking doesn't work very efficiently in terms of likes but you'll have short URLs.</p> <p>If you do not wish to change the URL with a</p>

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			# upon opening prettyPhoto, set this to No.
prettyPhoto theme	prettyphoto_theme	pp_default light_rounded dark_rounded light_square dark_square facebook	Choose one of the six built-in themes of prettyPhoto.
prettyPhoto title position	prettyphoto_title_pos	inside outside	Inside is a new, more space efficient and overall better layout, a customization of prettyPhoto for JIG. Social sharers and the closing X are aligned much better than the original layout. Outside option is provided as a way to go back, in case you liked that look. The new one looks good at any screen size and positions elements in a clever and more appealing way.
prettyPhoto Google Analytics	prettyphoto_analytics	no yes	You can track images viewed in the lightbox as events. In Google Analytics you'll find the images by their URLs in the Events -> Photo -> View page.
prettyPhoto JS settings	no shortcode attr.	-	You can configure prettyPhoto with any of their JavaScript settings. For more information check: http://www.no-margin-for-errors.com/projects/prettyPhoto-jquery-lightbox-clone/documentation/ Please remove the last comma. Refer to the contextual help or the link for more information. If you wish to change the size of the video window, edit the default_width and default_height attributes. If you can't see them, enter -1 into the field and click Save Changes.
PhotoSwipe settings (only in the Settings, not available in the Shortcode Editor)			
PhotoSwipe 4 social tools	photoswipe_social	inherit yes no	Toggle Share, Tweet, Pin and +1 buttons in PhotoSwipe 4. If you do not wish to show these, just set this to No. By default, this behaves the same way as prettyPhoto.
PhotoSwipe 4 social buttons	ps_social_buttons	FTPG GP T GPF any combination!	Default is FTPG. Facebook Share, Twitter tweet, Pinterest pin, Google +1. One letter means one social button. With this you can re-order or disable individual social buttons of PhotoSwipe!

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		F = Facebook Share, T = Twitter, P = Pinterest, G = Google+	If you used shareEL: false, in the JavaScript settings, it takes priority.
PhotoSwipe 4 Smart Deeplinking	no shortcode attr.	-	This is the same as Smart Deeplinking for prettyPhoto. Letting both lightboxes use this feature provides the same url for individual photos and common sharing counts regardless of device.
PhotoSwipe 4 theme	photoswipe_theme	dark light	Choose between dark and light theme for PhotoSwipe.
PhotoSwipe 4 caption align	no shortcode attr.	-	Choose where to align the lightbox captions, horizontally. Original align limits the caption to 420px width, but also makes that the default caption box width. It may appear randomly positioned because of this. Using Slim fit align or Center will make it look better. Slim RTL is the same as slim fit, except right aligned text inside the caption box. It is not flushed fully right.
PhotoSwipe 4 zoom effect	photoswipe_zoom	yes only-thumbnails only-large no	Choose to open and close the lightbox with a zoom effect. Also, you may disable zooming the large picture, once opened. The zoom effect is automatically simplified when the large image's aspect ratio doesn't match the opener thumbnail's aspect ratio. This setting can completely disable the animation when opening the photo and/or zooming the large image further.
PhotoSwipe 4 JS settings	no shortcode attr.	-	Extra JavaScript settings for PhotoSwipe. http://www.photoswipe.com/
Magnific Popup settings			
Magnific Popup JS settings	no shortcode attr.	-	http://dimsemenov.com/plugins/magnific-popup/documentation.html
Magnific Popup zoom effect	magnific_zoom	yes no	Zoom animation for thumbnails that open in Magnific Popup.
ColorBox settings (only in the Settings, not available in the Shortcode Editor)			
ColorBox JS settings	no shortcode attr.	-	http://www.jacklmoore.com/colorbox

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

ColorBox design	no shortcode attr.	-	Choose a different design for ColorBox , as seen in their previews under "View Demos" from 1 to 5.
Other lightbox settings (only in the Settings, not available in the Shortcode Editor)			
Lightbox only for logged in user	private_lightbox	no yes	Prevent the public from opening your photos in the lightbox to get a larger view. The public can't see links or click on the images, but will see all thumbnails . Custom links will be disabled as well.
Load bundled lightbox versions	load_bundled_lightbox	yes no	Only disable if you know what you are doing and do not wish to load JIG's version of the desired lightbox script . When conditional script loading is also disabled, no lightbox scripts will be loaded.
jQuery mobile - link rel external	no shortcode attr.	-	Check this if you are using jQuery mobile (very mobile oriented themes), this sets lightbox links to rel="external" when link rel is "auto" and the visitor is really on a mobile device. If this is not set, jQuery mobile will think this is an internal page of the site and will try to load it with AJAX, which is not what it should be doing. Marking anchors (links) as external will make the lightbox work in this scenario.
Open graph settings for Smart Deeplinking (only in the Settings, not available in the Shortcode Editor)			
WP field for og:title tags	no shortcode attr.	-	Choose a WP field as title on Facebook and Google+ when liking/sharing . These are used for individual images. Currently prettyPhoto and PhotoSwipe 4 have Smart Deeplinking . This is a site wide setting and not available to change per gallery. Other image sources use Title and Description fields .
WP field for og:description	no shortcode attr.	-	Choose a WP field as description on Facebook and Google+ when liking/sharing . If there is no text for this og:description to show (e.g. Facebook / Instagram source) but the content for og:title is available but too long, it will be shown as og:description instead.
Og tags custom field	no shortcode attr.	-	1 or 2 WP custom field(s), comma separated, for one or both of the above settings , respectively. Specify one field if you only set

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			one to "Custom", but two fields if you set both to "Custom field".
--	--	--	--

Captions

Setting name	Shortcode attr.	Shortcode values	Description
Caption appearance and style			
Caption style	caption	fade slide mixed fixed reverse-fade reverse-slide reverse-mixed below off	<p>Set up how you'd like the image caption to appear on the thumbs. Different animation methods on mouse enter, fixed, and off.</p> <p>Reverse styles do the opposite of the mouse interaction e.g. fades out the caption on mouse over.</p> <p>To put the captions below the thumbnails (outside them), choose the option 'below'. Check out the caption_height setting too!</p> <p>Slide and Mixed styles will fall back to a simpler style on Safari due to a rendering problem.</p>
Mobile caption	mobile_caption	same fixed below off	<p>Freeze a certain caption style for mobile devices that doesn't require mouse over as there is no such thing on devices. It's simulated by a single first tap. Because of this it would often require double tapping an image to eventually open it. This option is most useful when also using the general setting 'Disable mobile hover interaction'.</p>
Caption opacity	caption_opacity	0-1	<p>The opacity of the caption - text and background combined. Enter a number between 0 and 1. Value above 0.4 is recommended. 0 is fully transparent, 1 is fully opaque.</p> <p>If you want the text to be opaque but the background transparent, you'll need to set this to 1, and apply rgba in the next setting here.</p>
Caption background color	caption_bg_color	CSS colors, examples: white #000	<p>It's the color of the caption, behind the text. Any css color is accepted, like white or #000 or #603C4D or rgb(0,0,0) or even rgba(0,0,0,0.3). The plugin makes rgba</p>

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		#603C4D rgb(0,75,255) rgba (0,0,0,0.3) transparent	work in IE7+ too (only for this setting)!
Title background matches text width	caption_match_width	no yes yes-rounded	The caption background extends over the full width of the thumbnail. With this setting you can have the caption title background only behind the text . This is not available for caption description that will be displayed with full width. Yes-rounded means the free hanging corners will be smart rounded ; depending on horizontal align of the title caption. They'll have a dossier-style look. Works with vertical centering and animations.
Caption text color	caption_text_color	CSS color	Sets the color of the text. Same values accepted as the previous setting except rgba .
Caption height only for the "Below the image" style	caption_height	a number without px	Set a uniform caption height that will only be used when caption is set to "Below the image". Accepts a number without px. It's 54 by default, that's about 2 lines but depending on your theme, font size and needs, this number can change, try out different values . This is needed to ensure a standardized look. The excess text is cropped by an ellipsis to indicate further content.
Caption height on mobiles	mobile_caption_height	a number without px	Same as previous but you can set a different height for mobiles .
Caption title size	caption_title_size	CSS font-size value: 20px	This setting lets you control the title size, it's more useful than the CSS setting because this is available in the shortcode editor .
Caption description size	caption_desc_size	CSS font-size value: 14px	This setting lets you control the description size, it's more useful than the CSS setting because this is available in the shortcode editor .
Align			
Horizontal caption text-align	caption_align	css left center right	This setting lets you align both caption texts, it's more useful than the CSS setting because this is available in the shortcode editor . Selecting CSS here will not use this over the CSS option below.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Vertically center captions	v_center_captions	off yes simple vertical_only	Move the captions from being attached to the bottom part of the image, to the middle. 'Yes' and 'Simple' will align to center on both axes . Use 'Vertical only' if you wish to center vertically while aligning the text left or right . The animation difference between 'Yes' and 'Simple' is subtle but noticeable. For most uses 'Yes' results in a better looking effect, but 'Simple' can be desired in some other applications. Just try it!
Vertically center: Custom fonts	custom_fonts	yes no	This setting is important when you are using custom fonts (by the theme). They get applied at a later time when the page loads and the vertical text centering works by calculating content height . With custom fonts this height may change. You can notice this if you use Caption style: fixed, the text is realigned when the new font appears.
What text to show on the top of thumbnails			
WP field to use for title (main caption)	title_field	title description caption alternate custom off	Choose a WP field as title from the image details. Try something other than "Title" to only show those that you filled out, because Title is mandatory in WP and you might not want to display a caption on all items .
WP field to use for caption (description)	caption_field	title description caption alternate custom off	Choose which WordPress image information field to use for the description part of the caption . It'll appear with smaller text by default, under the title.
Caption custom field	caption_custom_field	name of your fields comma separated, max 2	1 or 2 WP custom field(s) , comma separated, for one or both of the above settings, respectively. Specify one field if you only set one to "Custom", but two fields if you set both to "Custom field" .
Extra			
Caption title CSS	no shortcode attr.	-	Set some basic things to the title, like text-align, font weight etc. Standard CSS only.
Caption description CSS	no shortcode attr.	-	Set CSS formatting for the longer text in the caption. Accepts standard CSS.
Text shadow	caption_text_shadow	As a whole:	Applies CSS text-shadow to all text in the

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		1px 1px 0px black (x, y, blur, color, respectively)	caption. No IE! If used as a shortcode, wrap the value into " or '. This setting only makes sense if the Caption opacity is 1 , and the background color is different from the shadow color. For the best results set the Caption background color to have some transparency with: rgba(0,0,0,0.4)
Gradient caption background	gradient_caption_bg	no yes	Use a Facebook-style gradient for the caption background . This sets caption opacity to 1, and is not compatible with "Title background matches text width" setting. The color will be determined by the CSS below and not the simple "Caption background color" above.
CSS Gradient for caption background	no shortcode attr.	-	CSS settings for the gradient caption background . Fades to black by default. You can use Gradient editor to generate gradients. Enter -1 into the field and save to restore the original gradient. It goes from fully transparent to 75% opaque black.

Overlay effects

Setting name	Shortcode attr.	Shortcode values	Description
Overlay appearance and style			
Overlay type	overlay	others hovered everything off	Select how you would like to see the color overlay. This is the solid layer that can darken the images . You can have it faded out on mouse enter, or only activate it on mouse enter, etc.
Mobile overlay type	mobile_overlay	same everything off	Freeze a certain overlay type for mobile devices that doesn't require mouse over as there is no such thing on devices. It's simulated by a single first tap. Because of this it would often require double tapping an image to eventually open it. This option is most useful when also using the general setting ' Disable mobile hover interaction '.
Overlay opacity	overlay_opacity	0-1	Enter a value between 0 and 1.
Overlay color	overlay_color	CSS color	Any CSS color value is accepted. Avoid rgba.
Overlay icon on top of thumbnails			
Overlay icon	overlay_icon	off	You can display an icon in the center of

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		on	the overlay. Most likely you'll need a magnifier; this is included and is used automatically if you turn this on.
Overlay icon opacity	overlay_icon_opacity	0-1	Control the little icon's opacity separately from the overlay color's opacity.
Overlay icon URL	overlay_icon_url	Absolute path	Upload your desired transparent PNG icon (e.g. magnifier) and enter its URL here.
Overlay icon retina URL	overlay_icon_retina	Absolute path	2x size image of your Overlay icon. Default is the 2x version of the magnifier, or if set, the 1x version of your Overlay icon. This is needed for the Retina Ready feature that is enabled by default and will make the overlay icon look crisp and good quality on modern devices.
Shadows			
Outer shadow	outer_shadow	CSS3 shadow value: "0 0 3px black"	This may decrease performance! It applies a fine-shaded outer shadow around the images. If you display borders, this'll start at the outermost border's edge. This is always shown when set and is not controlled by the 'Overlay type setting'.
Inner shadow	inner_shadow	CSS3 shadow value: "0 0 30px black"	Apply inner shadow to the image. This is a fun effect, see similar on the IMDB.com front page, (the three featured posters). This is always shown when set and is not controlled by the 'Overlay type setting'.
Borders			
Outer (standard) border width	outer_border_width	a number (without px)	This is the most basic outer border (you might be looking for this). If not set or 0, this is disabled.
Outer (standard) border color	outer_border_color	CSS color	Defaults to black. Set the color for the outermost border.
Outer border behavior	outer_border	always others hovered	Control the outer border with the mouse or let it be static.
Middle (spacing) border width	middle_border_width	a number (without px)	If not set or 0, this is disabled.
Middle (spacing) border color	middle_border_color	CSS color	Defaults to white. This will give the image a frame, if used in conjunction with the outer border. Also called the polaroid look.
Middle border behavior	middle_border	always others	Control the middle border with the mouse or let it be static.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		hovered	
Inner (on-image) border width	inner_border_width	a number (without px)	Set a thin line on the inside of the image.
Inner (on-image) border color	inner_border_color	CSS color	The default styling is similar to Facebook's borders on the images (barely visible but gives a nice detail to them). That is <code>rgba(0,0,0,0.1)</code> , where the browser supports.
Inner border behavior	inner_border	always others hovered	You can control the inner border to act on mouse over/out, similar to how the overlay can be activated by the mouse .
Inner border animate	inner_border_animate	width opacity off	You can animate the border's opacity or width. Or can also choose appear instantly.

Special effects

Setting name	Shortcode attr.	Shortcode values	Description
Special effects behavior	specialfx	off others hovered everything captions	You can choose on the fly desaturation by JavaScript. The options should be self-explanatory. When choosing captions-only special effects, they will appear only behind the caption . They'll animate with the caption in all cases. The effect strength is still controlled by the Special effects blend setting. Stacking order, whether or not they are covered by the overlay is controlled by "Caption special effect visibility".
Mobile special effects	mobile_special_effects	same off everything captions	Freeze a certain special effect behavior for mobile devices that doesn't require mouse over as there is no such thing on devices. It's simulated by a single first tap. Because of this it would often require double tapping an image to eventually open it. This option is most useful when also using the general setting ' Disable mobile hover interaction '.
Special effects type	specialfx_type	desaturate blur glow sepia laplace_dark laplace_light	Choose an effect. These are cross-browser compatible and are created on the fly, no extra bandwidth is required.
Caption	caption_fx_visibility	in_front_of_overlay	Only when special effect is set to only apply

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

special effect visibility		behind_overlay	behind captions! Decide whether or not the overlay effects (darkening or color) affect the special effect. When the effect is in front of the overlay , that part of the overlay is covered and can show interesting results (default).
Special effects blend	specialfx_blend	0-1	Controls how much you see the special effect. E.g. if you choose blur and set this to 0.25 you'll have a nice Orton effect .
Special effects options	specialfx_options	see pixastic docs	See Pixastic docs. Examples: Desaturate: average : false Blur Fast: amount:0.5 Glow: amount:0.5,radius:1.0 Sepia: no options. Laplace: edgeStrength:0.5,invert:false,greyLevel:0 Do not use curly braces.

NextGEN

Setting name	Shortcode attr.	Shortcode values	Description
What images to show from NextGEN gallery (choose one)			
Gallery ID	ng_gallery	Do not use / all possible NextGEN galleries by ID, can accept multiple	Choose any NextGEN gallery to display. You can add more than one gallery like 6,3,5 (select "I want to use multiple" and the dropdown will convert to checkboxes). They'll be merged.
Album ID	ng_album	Do not use / Overview album / all possible NextGEN albums by ID, can accept multiple	OR Choose any NextGEN album to display. Supports nesting, overview, permalinks, custom links, limit & hidden_limit for 'pagination' (both are settings of this plugin). You can add more than one album like 7,8,9 (select "I want to use multiple" and the dropdown will convert to checkboxes). They'll be merged and their contents will be sorted together. The global NG sort setting will apply (only the 'Alt/Title text' and the 'Image ID' options).
Single picture(s) by ID	ng_pics	NextGEN picture ID(s)	OR Display a gallery of NextGEN images , that are put together here, by their individual IDs . They don't need to belong into any particular gallery and they can be

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			spread over galleries it doesn't matter. The order will be the one you specify them in. This setting accepts numerical ranges such as 1-10 or similar, combined with single numbers or however you like to specify it.
Tags gallery	ng_tags_gallery	NextGEN tags, comma separated	OR Create a gallery (set of images) that belong to a certain NextGEN tag.
Tags album	ng_tags_album	NextGEN tags, comma separated	OR Create an album of galleries automatically, on the fly. The galleries will each represent a NextGEN tag. If you put a * star as value, it displays all tags as albums, without having to manually specify them.
Use recent images	ng_recent_images	Do not use / Yes: use	OR Show recent NextGEN images. Set the count with the 'limit' setting in the general section.
Use random images	ng_random_images	Do not use / Yes: use Gallery by ID, can accept multiple	OR Show random images regardless of gallery (all images in NextGEN). Or you can narrow it down to only pull from a specific gallery. Don't forget to limit, which is applied after the randomization. Can set more than one gallery ID, comma separated. Just select "I want to use multiple" and the dropdown will convert to checkboxes.
Search query	ng_search_query	any word	OR search for anything in NextGEN. Accepts comma separated multiple queries. Useful in a template tag in your theme's search.php <?php get_jig(array('ng_search_query' => get_search_query())); ?>
Search options	ng_search_options	not specified: everywhere tag filename alttext description comma separated combination of these	Choose where to search with the previous setting.
Behavior options			

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Take over and act in place of NextGEN shortcodes	no shortcode attr.	-	Use Justified Image Grid in place of your current NextGEN galleries , by selecting which ones you wish to take over. Not checking anything will leave the NextGEN shortcodes alone. This deregisters NextGEN shortcodes and registers the JIG shortcode while transforms NextGEN attributes to JIG attributes .
Take over NextGEN 2 post inserts	no shortcode attr.	-	Take over the inserted galleries that appear as images in the editor . They are used by NextGEN 2 instead of shortcodes. It's compatible with limit, but uses the global default sorting method and does not use exclusions . This setting only applies for NextGEN Gallery 2+
Display album and photo count	ng_count	yes no	Display the number of photos in a gallery or the number of subalbums/galleries on the thumbnails when using NextGEN and Justified Image Grid.
Open galleries in lightbox	ng_lightbox_gallery	no yes	When this is set to ' no ', the galleries will link to a deeper level page displaying the photos' thumbnails (default, most used). When this is set to ' yes ' the galleries will open a separately grouped lightbox with their images directly from the album view.
Show album/gallery description	ng_description	no yes	Display the gallery or album description (if any) between the breadcrumb and the grid. You can set it up in NextGEN, but is hardly ever shown in the original NextGEN.
Intersect tags or search query	ng_intersect_tags	no yes	Choose yes if you wish to display tags or search queries combined, based on AND and not ANY . For example you have two tags, strong and fierce, choosing yes, intersect would only return images that are both strong and fierce. Choosing no would return anything that is either strong or fierce. Only applies for NG tag galleries and search queries.
Narrow by tags	ng_narrow_by_tags	tags, comma separated	Only images with any of these tags will be shown in gallery / album / tag. This is only in the Shortcode Editor.
Display tags	ng_display_tags	no yes	Tags (italic, comma separated) will be added to the description field. These then can be shown on the thumbnails and/or in the lightbox .
Gallery-wide	ng_gallery_links	default (no)	Link to the parent gallery from a thumbnail

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

custom links		yes	with this. Use "Link to page" on a NextGEN gallery , when managing a single gallery. Alternatively add the URL of the gallery to a field by NGG Custom Fields plugin on the gallery . This will make all images inherit that custom link from the gallery. However, they'll only be used if you enable this setting, quite possibly in a special gallery only! It's useful for showing a handful random pictures from the entire NextGEN library, you could have them linked to their gallery page. On the gallery page itself, these links will not be used.
Remove usually unnecessary NextGEN files from the page	no shortcode attr.	-	To speed up loading, you can choose to disable NextGEN's scripts and styles . This will affect all JS and CSS files by NextGEN, which are no longer needed if you are only using JIG to show NextGEN content. However, if you still use NextGEN anywhere on the site without JIG or for any other reason you need those files (for their lightboxes) , just let them load.
NextGEN custom field for Links	no shortcode attr.	-	Use NGG Custom Fields plugin to create your own field that you apply for images and galleries. Enter the field's name here . Then enter your desired custom links in NextGEN and the images will point to your custom links from Justified Image Grid, without any further modification . This is created as most people set up custom links for NextGEN with NGG Custom Fields plugin, and the migration to Justified Image Grid as a display can be smooth this way. Chances are if you need this feature you are already using this with a customized NextGEN view.
NextGEN breadcrumb CSS	no shortcode attr.	-	You can style the breadcrumb using this setting (this is in the settings, unlike the others shown here, that can be found only in the shortcode editor).
Settings for the built-in JIG Breadcrumb for NextGEN			
Breadcrumb	ng_breadcrumb	default (no) yes	Show a navigation element, a 'breadcrumb' at the top of the NextGEN gallery that is displayed by Justified Image

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			Grid. All settings below are for this feature.
Separator character	ng_bc_separator	greater > comma , slash / doubleslash // miuns - plus + arrow → bslash \ doublebslash \<\ middledot · dobulecolon :: numersign #	This symbol is placed between navigation elements . E.g. Home > Gallery or Home \<\ Gallery
Base element: custom text	ng_bc_base	Your text	This is the first, non-clickable text, default is 'You are here.' this introduces the breadcrumb, before the home element.
Home element	ng_bc_home	post title custom_text album_name none	This is for the second, clickable element in the breadcrumb. This indicates the parent or root element. Choose what this should be: Post title – This is the default, put the title of the post as the root element. Custom text – enables the next setting, whatever you wish to display. Album name – automatically get the NextGEN gallery's title.
Home element: custom text	ng_bc_home_text	Your text	Enter anything you'd like to see as the Home element (read previous setting description). You need to set 'Home element' to 'custom text' to use this.
Home element: clickable	ng_bc_home_clickable	default (clickable) no	The home element can link back to the original root . In most cases this should stay on so visitors can go back to the 'Home' .
Last element: clickable	ng_bc_last_clickable	default (not clickable) yes	The page you are currently on, is the last element in the breadcrumb. Making it clickable makes not too much sense but in case you want it anyway you can enable it.
Show top level breadcrumb	ng_bc_top_level	default (yes) no	Show the breadcrumb even if you are on the top level (haven't gone into any sub-level gallery yet). Only the base and the home elements are visible in this case.
Add separator at the end	ng_bc_add_separator	default (no) yes	Add the separator character at the end e.g. Home -> Gallery -> instead of Home -> Gallery

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			This is the extra one in the end .
--	--	--	---

WP Real Media Library

Setting name	Shortcode attr.	Shortcode values	Description
What content to show from WP Real Media Library (choose one)			
RML content	rml_id	Select one ID	Choose a folder, collection, gallery or everything. This allows you to select any point of the RML tree . If you choose folders and collections instead of a gallery, then other RML objects contained within will be shown. These will create virtual pages to allow traversing the tree from the selected point.
Behavior options			
Take over and act in place of WP RML shortcodes	no shortcode attr.	-	Take over the inserted [folder-gallery] shortcodes on the fly. It's useful for already established galleries using the RML shortcode . Please note that JIG extends functionality, so use the JIG shortcode with the RML content setting to get more out of the RML plugin . Taking over an RML shortcode will yield exactly the same content in JIG.
Display content count	rml_count	yes no	Make the thumbnail's caption display the count of contained folders, collections, galleries and photos in RML objects. For example: 2 Folders, 1 Collection, 34 Photos. This information is displayed on the lower part of the thumbnail's caption .
Show description	rml_description	no yes grid thumbnail	Display the description (if any) belonging to folders, collections or galleries. This allows you to show additional text on the thumbnails of these RML objects and/or directly above the grid .
Open galleries in lightbox	rml_lightbox_groups	no yes	When showing an RML collection, open the contained galleries in the lightbox on the same page . Even though folders can contain photos directly, folders will not open in the lightbox, because they can contain other folders and collections. If they were opened in the lightbox like

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			galleries, then traversing into child content wouldn't be possible . Note: not compatible with Social Gallery and Jetpack Carousel lightboxes.
Extend filtering beyond galleries	rml_extend_filtering	no yes	Normally, filtering (when enabled) only works in galleries. In special cases filtering can be extended to folder and collection views . Terms are pulled from the cover picture . The cover picture does not need to reside in the actual RML gallery (object), it can come from anywhere and have any kind of tags on it. This is especially useful for straight to lightbox galleries also known as portfolio folders.
RML slug	no shortcode attr.	-	Advanced setting! Make sure you know what you are doing as to not cause a conflict. When showing RML tree, this appears in the URL . If you change this, make sure no other slug with the same name exists on your site or one of them will not work. It has to be unique!
RML breadcrumb CSS	no shortcode attr.	-	CSS settings for the breadcrumb.
Settings for the built-in JIG Breadcrumb for WP RML			
Breadcrumb	rml_breadcrumb	Do not use / Yes: use	Show a navigation element, a 'breadcrumb' at the top of the NextGEN gallery that is displayed by Justified Image Grid. All settings below are for this feature.
Show top level breadcrumb	rml_bc_top_level	no yes	Show breadcrumb on the top level page: When only the base and home elements are visible. This is when no folder, collections or galleries are in the breadcrumb path. The breadcrumb is usually unnecessary then.
Separator character	rml_bc_separator	greater > comma , slash / doubleslash // minus -	This symbol is placed between navigation elements . E.g. Home > Gallery or Home \\ Gallery

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		plus + arrow → backslash \ doublebackslash \<\ middledot · doublecolon :: numbersign #	
Breadcrumb home text	rml_bc_home_text	Your text	You can override the home element's name with custom text. Normally it's automatic and shows the name of the RML object you chose in the RML content setting. However, it's especially useful when showing the top level of the tree which is unnamed (overview or unorganized).

Recent posts

(These settings can only be found in the shortcode editor!)

Setting name	Shortcode attr.	Shortcode values	Description
Core settings			
Use recent posts	recent_posts	Do not use / yes	Create a "slider" or a homepage banner by having your recents posts aligned to the grid using their featured images with links pointing to the posts. Requires theme support!
Post type	recents_post_type	post page your custom post type	You can optionally display from pages or custom posts , but only as long as you have featured images added to them. Your custom post types are automatically added. If you want to use multiple post types together , you'll need to select "I want to use multiple" and the dropdown will convert to checkboxes . They will be added to the shortcode comma separated.
What to display as caption on the thumbnails			
Display in the description	recents_description	Do not set (nothing) / auto_excerpt manual_excerpt auto_manual_excerpt categories	Select what text should show up as caption, below the post's title . The automatic excerpt helps you when you do not have a manual one so you can have both: manual excerpt when set, automatic

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		tags datetime date nicetime comments author woocommerce_price custom_post_metadata all custom taxonomies (using their slug)	otherwise. Categories and Tags show up as non-clickable, comma separated words. Date + Time and Date displays post creation date according to the date format setting in WP. Nicetime displays it like Facebook, e.g. 42 minutes ago . Or the author name can also be displayed. Custom taxonomies are things like color or size . They can be shown comma separated like WP categories or tags.
Add to the description	recents_description_2	same as recents_description	Additional information to display in the description. Line 2.
Also add to the description	recents_description_3	same as recents_description	Additional information to display in the description. Line 3.
Post metadata fields	post_metadata_fields	name of a custom field comma separated, max 3	Comma separated metadata field names, max 3 , when "Custom post metadata" is selected for any of the description texts.
Word count for auto excerpt	excerpt_length	a number	This trims the length of the automatic excerpt to x words . Very handy when the thumbnails are smaller/larger than usual. The default is 20 words.
Ending for auto excerpt	excerpt_ending	basically anything	Add this to the end of the automatic excerpt like ' Read more...' – note that it doesn't automatically include a space, so add it if you need it. This converts () to [], and defaults to [...] , enter none to have no ending. You can also use special characters.
Prefix for author name	author_prefix	basically anything	This puts a word before the author name if recents_description is set to author. E.g. "written by" - defaults to "by" - enter none to have no ending.
Comments text	comments_text	comment comments	Rewrite the word comments text here when shown as recent description above. Single and plural version is separated by a pipe. Default: "comment comments". If no pipe then one version will be used no matter the count. Zero comments won't be shown anytime.
Title override custom field	recents_title_override	name of a custom field	Display something else for the post title, accept a custom field set on posts. The custom field is added / edited by you on each individual post, and it's useful if you wish to show a different variation of the post title in a recent posts grid .

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Filter/narrow what posts to show			
Post IDs	post_ids	WP post IDs, current, comma separated, any post type (select it too)	Optionally, you can manually specify posts by IDs , comma separated. You need to select the appropriate post type as well. Not to be confused with ID or IDs settings on the General tab! Accepts the word current to pull the current post. Useful for displaying the featured image with JIG, without any coding.
Exclude posts by ID	post_ids_exclude	WP post IDs, current, comma separated, any post type (select it too)	Don't show these posts (specify IDs, comma separated). Use the word current to automatically exclude the current post (for example, related posts). Not compatible with the post_ids setting as it does just the opposite.
Exclude category	recents_exclude	a category ID or ID's, comma separated 5,26,34	Figure out the category ID's by going to Posts->Categories and hovering over the categories . Note the tag ID number in the status bar. Or click them and note the number from the URL bar. Show posts from all categories except these OR
Include category	recents_include	a category ID or ID's, comma separated 5,26,34	only show posts from these categories both exclude and include take comma separated list of category ID's
Filter by tag	recents_tags	tag slugs, comma separated	More filtering possibilities, this is compatible with category filters. Enter post tags (slugs), comma separated to show posts that are tagged with these tags.
Filter by taxonomy	recents_filter_tax	one taxonomy slug	Choose a taxonomy to filter recent posts by. Taxonomy is like WP categories, tags, but any other you have for custom post types like city, shoe size, color.
Taxonomy filter term	recents_filter_term	term (e.g. tag) slugs	It's the actual term : for example a tag like cute, category like animals, the shoe size number, the color by name . Enter slugs (no spaces, but dashes).
Filter by author	recents_author	any author login name	Choose an author to filter recent posts by. Will only show posts from this author .
Use sticky posts	recents_sticky	(no value) yes no	Only usable when displaying regular WP posts so they are not available for custom post types. Narrow thumbnails to the sticky posts or exclude them . Sticky posts can be enabled in the publish settings when saving a post, it's a standard WP feature.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Advanced date queries (WP 3.7+)			
Last x days	recents_last_x_days	a number (of days)	Enter the number of days to only show content published in the most recent period . Only one of these two date queries can be used at the same time.
Date range	recents_date_range	date range in this specific format: 2013-07-01,2013-07-31 2013-12-01,today	OR the date to show posts from,to : YYYY-MM-DD,YYYY-MM-DD (start and end day is included) for example 2013-07-01,2013-07-31 (posts from July, 2013) or 2013-12-01,today (posts since December, 2013). The word 'today' can be used as the 'to' date.
Recent posts behavior and lightbox related options			
Click on a thumbnail links to	recents_link_to	post image attachment	When setting up a recent posts 'slider', it will open the post when a thumbnail is clicked by default , and you don't need to change this parameter. However, if you only want to create a gallery from the posts' featured images , set this to 'image' to open them in the lightbox. 'Attachment' links to the WP attachment page of the image or the image itself when using NextGEN-based featured images.
Link to the post from lightbox	recents_link	no yes alt	Provides a way of still going to the permalink , only used when Click on a thumbnail links to an image. A link (with your custom text) will be placed inside the lightbox above or below the image (the position is controlled by switching the yes or alt options). The link takes you to the originating post that the image represents.
Lightbox link text	recents_link_text	some text like Read more	The text for the permalink in the lightbox , e.g. Read more, Go to post . Used by the previous setting. Defaults to Read more.
Placeholder image	recents_placeholder	Absolute URL	To still show posts without a featured image , specify the full URL of a desired placeholder image (upload to the media library then copy paste its URL here).
Use custom links	recents_custom_links	no yes	You can point the links on the recent posts to use the featured images' JIG Link targets (custom links) instead of linking to the post . Rarely used but sometimes useful. Only used when there is a JIG Link in use. If not, just respects the recents_link_to

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			setting.
Post field for custom links	recents_link_field	Name of the custom field on the post itself, that you used to input the custom link.	Specify a custom post metadata field to get the link from , else it uses the featured image's JIG Link field. For example my_link_field but do not enter the http:// link itself. If you wish all thumbnails to link to the same place, use General tab > Custom link override.
Show children of a page (advanced)			
Parent post ID	recents_parent_id	page ID	Use if you wish to display children of a page , only when using pages. If you are organizing WP pages into a hierarchy this may come in handy for you.
Tree depth	recents_tree_depth	a number 1-10	When displaying children of a page, you can set the level of descendants . It's like 1 or 3 levels deep, default is 10 levels which is a practical limit. Enter a number. Each descendant will be added next to its parent. You can randomize the order to mix it up, but by default it flows like you'd read through a tree of the hierarchy .

Facebook

Setting name	Shortcode attr.	Shortcode values	Description
App ID	no shortcode attr.	-	The App ID of the application you create on Facebook. It's only needed for users or restricted pages.
App Secret	no shortcode attr.	-	Both App ID and App Secret are needed together.
Facebook caching time	facebook_caching	a number (minutes) default is 60, one hour	It's an additional call to request the list of images from Facebook, before the images can start loading . If you utilize this cache, the list is not needed from Facebook every single time, so your images will start loading faster. Do not rely on this too much for extended periods of time, as this is not intended to circumvent the access expiry (2 months). Set it to a few hours. If you change this setting, a new list is automatically requested on the next visit to the gallery (by anyone) so you can't get stuck by setting it too long. Use of this cache is

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			recommended. If you wish to see album updates right away, set it to 0. The thumbnail images are cached by TimThumb. The images in the lightbox are always served directly from Facebook.
Facebook overview caching time	no shortcode attr.	-	Only used by the Facebook overview feature, this saves a lot of requests to get the individual album covers. This should be set to some very long time or you might experience a slowdown when using the overview feature. The default value, 43200 is four weeks because album covers rarely change! You can purge the cache using the link above. On Facebook pages that have many albums, sending a request for each album can take as long as 30 seconds or even time out. Facebook API doesn't support getting the album cover URLs with the album list, they need to be checked for each album individually and this takes long.
Image size in the lightbox	facebook_image_size	normal larger maximum	Select a preferred image size that opens in the lightbox. Normal is limited to 720px in width. Larger is the most useful , but if you need bigger, maximum will pull 4MP photos that are 2048px wide or tall at best. If the preferred image size is not available, you'll see the next best size.
Show album description	facebook_description	no yes above thumbnails	Choose yes if you wish to display album description (if any) above the grid and/or on the overview thumbnails (under the photo count).
Display photo count	facebook_count	yes no	Make the thumbnail's caption display the count of photos in an album.
Open albums in lightbox	fb_lightbox_album	no yes	Only when using the overview feature! Open Facebook albums in the lightbox, cycling through their pictures (on the same page, instead of linking to separate pages). Note: currently not compatible with Social Gallery lightbox.
Use the actual cover photo	fb_actual_cover_photo	no yes	Use your manually-set cover photo for Facebook albums, only when you are not using the 'Open albums in lightbox' setting. Somewhat slows down performance, especially if you have lots of albums, many

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			of which with a custom cover photo.
Facebook overview slug	no shortcode attr.	-	Advanced setting! Make sure you know what you are doing as to not cause a conflict. Using the overview feature, this appears in the URL. Example: domain.com/facebook-album/ID You can re-write facebook-album it to something like fbalbum or even album , but it won't work if you have a custom post type called the same.
Overview mini-breadcrumb	fb_breadcrumb	yes no	Show title of current Facebook album and a link back to the overview page . This is only used when the overview is selected and the albums are not set to open in the lightbox. It provides a good point of navigation to tell what album you are looking at and to go back to the all albums page.
Exclude selected album(s)	fb_album_exclude	no yes	Instead of choosing what to display this setting inverts your selection to mark what you don't want to display in the overview. Everything you select will be excluded, and your view will turn into the overview mode automatically . If you need to exclude multiple albums, enable the checkbox above the tab that says Select multiple albums
Breadcrumb home text	fb_bc_home_text	some text	You can override the home element page/profile name with custom text. This will appear in the place of the default, fetched Facebook title.
Breadcrumb separator character	fb_bc_separator	greater > comma , slash / doubleslash // miuns - plus + arrow → bslash \ doublebslash \<\ middledot · dobulecolon :: numbersign #	This is the character that separates path elements in the Facebook breadcrumb (previous setting).
Add your friends as pages	no shortcode attr.	-	The use of this feature is at your own risk, the plugin author is not liable for any privacy issues that arise from publishing

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			<p>photos that are originally only shared with you. Please respect your friends' privacy. This setting allows you to add your friends by entering their profile URL to the 'Add a new Facebook page' button/field. Once you have activated this setting (and saved) you need to click 'Add current Facebook user' once again to give your APP permission to access the friends' photos. This does not work for every user, probably depending on their privacy settings. Users can disable general APP access to their profile, using "Apps others use" settings on Facebook, in privacy settings.</p>
--	--	--	--

Flickr

Setting name	Shortcode attr.	Shortcode values	Description
API Key	no shortcode attr.	-	Your Flickr API Key, it's mandatory if you wish to use this feature.
Flickr caching time	flickr_caching	a number (minutes) default is 60, one hour	It's an additional call to request the list of images from Flickr, before the images can start loading . If you utilize this cache, the list is not needed from Flickr every single time, so your images will start loading faster. If you change this setting, a new list is automatically requested on the next visit to the gallery (by anyone) so you can't get stuck by setting it too long. Use of this cache is recommended . If you wish to see album updates right away, set it to 0. The thumbnail images are cached by TimThumb . The images in the lightbox are always served directly from Flickr.
Link to the photo on Flickr	flickr_link	no yes alt direct	Much like 'Download' link in the lightboxes tab, this adds a backlink to open the original photo on Flickr. You can move it between the text locations of your lightbox to ensure it shows up in the right place by switching between 'yes' and 'alt'. By choosing "direct" the photos won't open in the lightbox Flickr will open instead .
Flickr backlink text	no shortcode attr.	-	You can change what you see as link text, when linking to the original photo page on Flickr . By default it's 'View this photo on

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			Flickr'...
Flickr backlink target	no shortcode attr.	-	Whether or not the Flickr link to the original photo page should open in a new window/tab or navigate away from the current page (your site).
Look for and allow hi-res photos	no shortcode attr.	-	Controls the image size in the lightbox . When enabled, the plugin will look for image sizes larger than 1024px, namely 1600px and 2048px versions. You might not want this for any reason including performance or copyright issues. For consistent lightbox experience, if you do not have large versions of every image displayed then keep this disabled.
Collection related settings			
Collection mini-breadcrumb	flickr_breadcrumb	default (yes) no	Show title of current Flickr collections or photoset and a link back to all parents in the hierarchy. This is only used when a collection is selected for display.
Separator character	flickr_bc_separator	greater > comma , slash / doubleslash // minus - plus + arrow → bslash \ doublebslash \<\ middledot · doblecolon :: numbersign #	This is the character that separates path elements in the breadcrumb . Only used when the mini breadcrumb is enabled and you are displaying Flickr collections.
Breadcrumb home text	flickr_bc_home_text	some text	You can override the home element (parent collection name or user name) with a custom text.
Display photo / content count	flickr_count	yes no	Make the thumbnail's caption display the count of photos in a set . Also subcollections or sets in a collection.
Display collection / set description	flickr_description	no yes above thumbnails	Choose yes if you wish to display collection / set description (if any) above the grid and/or on the overview thumbnails (under the count). Set descriptions only show up when collections are used.
Open Flickr sets in lightbox	flickr_lightbox_set	no yes	Only when using the Flickr collections source! Open Flickr sets in the lightbox

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			(on the same page, instead of linking to separate pages). Note: currently not compatible with Social Gallery lightbox.
Flickr collections slug	no shortcode attr.	-	Advanced setting! Make sure you know what you are doing as to not cause a conflict. Using the collections feature, this appears in the URL. Example: domain.com/flickr-content/ID You can rewrite flickr-content to something like flickralbum or even album , but it won't work if you have a custom post type called the same.
Flickr breadcrumb CSS	no shortcode attr.	-	CSS settings for the breadcrumb . This is only used when collections are displayed.

Instagram

Setting name	Shortcode attr.	Shortcode values	Description
Client ID	no shortcode attr.	-	Instagram App's Client ID.
Client Secret	no shortcode attr.	-	Instagram App's Client Secret.
Access token	no shortcode attr.	-	Instagram access token, if you can obtain one from a 3rd party. Overrides the sandbox access token for your added user via your sandbox App.
Instagram tag filter	instagram_tag_filter	Instagram tag or tags, comma separated, lowercase.	Regardless of your Instagram image source you can (further) narrow/restrict the images by tags . Tags matching in ANY mode which means that if you specify more tags, then more images will be allowed to be shown, so they don't narrow the results. Every image that gets displayed will have one or more of these tags . This is a pre-filter in the back-end and works with or without the filtering feature . Useful to filter Instagram tags of a user .
Tag filter matching mode	instagram_tag_mode	or (default) and	If this is set to OR , then all images matching any of the selected tags will be displayed. In case of AND , only images that match all your terms will be shown.
Instagram user blacklist	instagram_blacklist	Instagram username or userID	Enter the Instagram usernames or IDs you don't want to see photos from . Comma separated.
Instagram caching time	instagram_caching	a number (minutes) default is 60, one hour	It's an additional call to request the list of images from Instagram, before the images can start loading . If you utilize this cache,

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

			the list is not needed from Instagram every single time, so your images will start loading faster. If you change this setting, a new list is automatically requested on the next visit to the gallery (by anyone) so you can't get stuck by setting it too long. Use of this cache is recommended . If you wish to see album updates right away, set it to 0. The thumbnail images are cached by TimThumb . The images in the lightbox are always served directly from Instagram.
Show Instagram username	instagram_show_user	no title description	Display the photo owner's username (the one without symbols etc), which automatically turns into a link in the lightbox . Recommended when showing photos from multiple users to know which photo is by whom. The setting adds the name to either the title or the description fields . You can manage what shows up in the lightbox and/or on the thumbnails by using these fields. The photo text gets added to the "Title" field at all times. So you can put the username next to it or into a separate field.
Link to the photo on Instagram	instagram_link	no yes alt direct	Much like 'Download' link in the lightboxes tab, this adds a backlink to open the original photo on Instagram. You can move it between the text locations of your lightbox to ensure it shows up in the right place by switching between 'yes' and 'alt'. By choosing "direct" the photos won't open in the lightbox, Instagram will open instead .
Instagram backlink text	no shortcode attr.	-	You can change what you see as link text, when linking to the original photo page on Instagram . By default it's 'View this photo on Instagram...'
Instagram backlink target	no shortcode attr.	-	Whether or not the Flickr link to the original photo page should open in a new window/tab or navigate away from the current page (your site).

RSS

Setting name	Shortcode attr.	Shortcode values	Description
Feed URL(s)	rss_url	feed URLs, comma	Specify the URL of the RSS/Atom feed you

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

		separated if more than one	wish to use. Can combine multiple feeds and sorts them by date - put a comma between URLs in that case. Use the helper tool after the RSS settings in the shortcode editor to get feed URLs from popular sites.
RSS links to	rss_links_to	permalink image	What should open when clicking on thumbnails from an RSS feed? Go to General -> Behavior of the plugin -> Custom link's target to open permalink in the lightbox (iframe, videos) or on a new tab.
RSS description	rss_description	none description excerpt datetime date nicetime	This controls what text to show as description on the thumbnails . Similar to what's available for Recent posts.
RSS excerpt length (words)	rss_excerpt_length	number of words	Limit the length of automatic excerpt, defaults to 20 words.
RSS excerpt ending	rss_excerpt_ending	a few characters	Add this to the end of the auto excerpt like "[...]"
RSS lightbox backlink	rss_link	no yes alt	This the RSS item's backlink in the lightbox , only used when RSS links to image, to provide a way of still going to the permalink . You can move it between the text locations of your lightbox to ensure it shows up in the right place by switching between 'yes' and 'alt'.
RSS lightbox backlink target	no shortcode attr.	-	Whether or not to open RSS lightbox backlink on a new tab . To control thumbnail click target, use the General settings -> Behavior of the plugin -> Custom link's target
RSS lightbox backlink text	rss_link_text	your custom text	The text to show as RSS lightbox backlink, e.g. Read more, Go to story etc.
RSS caching time	rss_caching	number in minutes	By default the caching is 12 hours (set by WP), you can override that for this feature. Set in minutes . You can clear WordPress' RSS cache from the database by clearing the related transients. It may affect other RSS experience on your site.

TimThumb & CDN

Setting name	Shortcode attr.	Shortcode values	Description
--------------	-----------------	------------------	-------------

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

TimThumb quality	quality	0-100	A value between 0 and 100 is required. 90 is usually good. You can set something lower for faster loading .
Retina ready	retina_ready	yes no	Retina ready means the thumbnails will look crisp on modern mobile devices or other high resolution displays. The image resolution is multiplied by the device's pixel aspect ratio. For example, on Full HD devices this ratio is 3, resulting in 3x resolution thumbnail needed to be loaded for the best results.
Retina quality	retina_quality	0-100 auto	This determines the thumbnails' file size. Same as TimThumb quality. Best set to auto, which will divide TimThumb quality by the pixel aspect ratio of the device (will use a minimum of 40 quality). In case of double sized images it'll serve half the normal quality. Similarly, it'll serve two-thirds quality for 1.5x images... This ensures that the file size of thumbnails is not increased too much so the bandwidth usage is not doubled for mobile devices. The perceived quality will still be better , study shows: Retina revolution
Minimum retina quality	min_retina_quality	0-100	When retina quality is automatic, this controls the minimum calculated quality . Set it higher if you have smooth gradients on your images.
Maximum retina density	max_retina_density	1 1.5 2 2.5 3 or similar	Decide what screens to support according to the level of density / device pixel ratio. 2 is double density , the most common, extra file size cost rarely occurs. 3 is the density of the latest phones , 50% extra file size cost is usual.
Crop zone	timthumb_crop_zone	c t tr tl b br bl l r	If you feel that your images are cropped at a wrong place, you can fine tune the result using this. Only used when you are cropping using a fixed aspect ratio , this determines where to crop the images. Does not influence Jetpack Photon's cropping location. Your thumbnails will be re-generated by TimThumb one time and not served from the cache if you change this. This is useful when you need an uniform look and you are showing photos of people .
Custom TimThumb path (leave empty if unsure)	timthumb_path	absolute path (full URL)	If you already use TimThumb you can remove the plugin's version and point to your TimThumb here. That way you only need to update it one place.
Replace site's hostname	no shortcode attr.	-	Enter the hostname provided by your CDN (e.g. cdn.yourdomain.com), this will replace your site's hostname. Do not enter protocol (http/https) or slashes

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

with			(// in the beginning or / at the end). It'll update the TimThumb path accordingly and all images thumbnails will be loaded through your CDN once you set this setting. This is meant to be similar to W3TC's similar setting.
Use CDN for custom links	no shortcode attr.	-	Replace the host with CDN host in custom links. Custom links to images are detected and considered an exception because they always use the CDN. That is, when you open a different image in the lightbox than what the thumbnail shows. This setting is useful in cases when you link to a downloadable file, or a video , or any content that should be coming from the CDN.
Thumbnail filename	no shortcode attr.	-	Dynamic thumbnails have a filename like this: "timthumb.php?src=imagepath&h=230&q=80&f=.jpg" ending it with an extension is optional. It tricks CDNs such as CloudFlare into thinking that these are really images. In some cases it causes problems though.
External image caching time	no shortcode attr.	-	In days, enter infinite for caching forever. Speeds up loading as the dimensions of external images only need to be grabbed for the first time, currently used by Jetpack Photon only. The dimensions are needed by the grid engine to function properly. For remote images this is not given, and have to be grabbed with CURL for the first time. This may slow loading down, so the results are cached. Only set differently or purge in case you are experiencing problems. Image sizes for a given URL are unlikely to change.
Use TimThumb	use_timthumb	yes no	Advanced users only! Automatically disabled when using Jetpack Photon. 'No' disables automatic thumbnail creation and the normal sized images will be loaded and resized by the browser (most often a bad practice). This brings good quality at an enormous bandwidth cost, compared to TimThumb. Sharp but ugly pixelated browser scaling may appear. Fixed aspect ratio and randomize width features will not be available. Only disable TimThumb if you know what you are doing, for logos, testing purposes or as a last resort.

Custom presets

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

At the **top of the plugin's settings** you'll see the **Presets selection** area. The buttons will change depending on your preset choices and what you can do with them.

How to use a preset

On the settings page, select a preset (custom or built-in) and click **Load & Apply** preset. This will change your global plugin settings to that preset and **will update the look of every shortcode in which you haven't selected a preset** (as they fall back to these global settings unless the settings are overwritten by your values in the shortcode).

So you can also select a preset in the shortcode, however that'll only get applied to that single gallery. It'll also make that gallery **disregard most of the global settings**. To see/change what these disregarded settings are, **look up "preset authority"** here.

How to create a custom preset

Start by tweaking the settings; try them out on a shortcode that has no attributes (no preset selected in it or other settings except image sources). **It's important to have saved before creating a new preset.**

Check the preset authority (detailed description below) to see which settings are currently available to be in a preset to **ensure they make it into you custom presets!**

So you have your settings tweaked the way you want them and haven't made any changes to them since the settings page have loaded.

If you'd like to name your custom preset somehow, this is the time to do it. You'll notice a grayer area called "New preset's name:" where you can rename the default name for your new preset. Unless you do that it'll have a default name of Custom Preset x where x is the next available number.

Click the **Create new preset based on currently saved settings** button near the top. The page will reload and the **new preset will be added with your current settings.**

Changing/updating a custom preset

You **can only modify a custom preset** and not a built-in preset. With that said, here is what you need to do to change a custom preset:

1. Select the custom preset from the dropdown and hit Load & Apply Load preset

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

2. Tweak the settings however you like
3. When done, **select the custom preset again** from the dropdown and click **Save Changes** or **Save to selected preset** (they do the same thing) – your custom preset will be updated

Copying a preset

1. **Select the preset** you wish to copy settings from or start with **and hit Load & Apply**
Load preset
2. Select a custom preset from the dropdown and click Save Changes or Save to selected preset (they do the same thing) – **your settings will be saved onto the custom preset**

OR

If you need a new custom preset (optionally enter a name for it): just click **Create new preset based on currently saved settings**

Deleting a preset

You **can only delete a custom preset** not a built-in preset. Select the custom preset from the dropdown, then click the newly appeared “**Delete selected preset**” button.

Preset authority

There are 3 type of settings.

1. Firstly there are **system level settings** that are utilities, behavior, advanced, Facebook APP ID and similar **that have nothing to do with how the galleries look**. These are **untouched** no matter what you do with the presets (load/delete/save).
2. There are **common styling settings** like overlay color, row height etc., these are used by presets on a regular basis. Some other settings belong to these like the lightbox choices or filtering. These **appear as blue in the preset authority editor**.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Blue settings belong to the presets and are saved to custom presets. When a preset is selected in the Shortcode Editor, the blue settings in the settings are disregarded.

3. There are settings in-between **whom are not affected by the presets because they are meant to bypass them and work globally**, like mobile behavior settings, all settings for Facebook / Flickr / Instagram, CSS settings, lightbox related settings.

Orange settings currently don't belong to the presets, and are NOT saved to custom preset. When a preset is selected in the Shortcode Editor, the orange settings on this page are still taken into account.

With the introduction of **preset authority** you can move settings between groups 2 and 3 by **clicking on their name** in the rows. For example, this allows you to have a global lightbox choice, and still use presets with the same lightbox. Even though the built-in presets keep using prettyPhoto and ColorBox for variation, you can bypass that by setting the lightbox setting to belong in group 3.

To enable preset authority editing just **click on Edit preset authority**, change your preferences then click Save Changes. You don't need to but you can exit the editor by clicking the now-changed button called Exit preset authority.

If you enter the preset authority editing mode and don't make any changes to their colors, just the values then their authority won't be changed at all. **So feel free to enter this mode regularly to see the authority especially when creating custom presets!**

NextGEN gallery

It's highly recommended that you use Justified Image Grid for showing NextGEN managed images, galleries and albums. The performance of Justified Image Grid is superior to NextGEN, while JIG doesn't have image management capabilities, (and NextGEN's pro features – improved looks - are more expensive) they form a good duo together. **The JIG galleries will load faster**, use less memory and send far less requests to the database than the same set of images using native NextGEN. Often there are additional features (besides the looks) and benefits when using JIG for display. Things like Breadcrumbs (look up the NextGEN breadcrumbs in the settings reference in the tables above), custom links, galleries opening in lightbox instead of on a separate page, showing album/gallery descriptions etc...

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

NextGEN Gallery 2 and newer has a new gallery insertion method, instead of shortcodes. You can automatically take over them using the setting "Take over NextGEN 2 post inserts" on the NextGEN tab of the General settings.

If you are using NextGEN 2 with their new shortcode, or any version using the legacy shortcodes, you can also take over those automatically by selecting the appropriate shortcode in the "Take over and act in place of NextGEN shortcodes" setting.

While the take-over features are a fast way of getting there with NextGEN, if you are using the Justified Image Grid shortcode attributes for NextGEN, you can achieve a more fine-tuned result.

If you already have one, look at the original NextGEN shortcode you have in your post or page, or the NextGEN settings to figure out what IDs you need to use. The key shortcode attributes are below:

- ng_gallery
- ng_album
- ng_pics
- ng_tags_gallery
- ng_tags_album (NG2 doesn't have this feature, only NG1 did)
- Not requiring an ID: ng_recent_images
- ng_random_images

Look these up in the settings reference above for detailed explanations for each. The **shortcode editor lets you select albums and galleries by their name**, so you don't need to know the IDs.

Once done, make sure you follow these steps to ensure that entering a gallery or sub-album from an album or overview album view will take you to the desired page. Unless you do this they **may** appear to not navigate away from the current page or show an empty page.

Points 1-3 apply only to NextGEN v1 only, not NextGEN 2.

1. Go to NextGEN settings, on Gallery tab, tick this: 'The album will not link to a gallery subpage. The gallery is shown on the same page.'
2. Then on General tab, tick this: 'Activate permalinks - When you activate this option, you need to update your permalink structure one time. Gallery slug name'
3. Then click Create new URL friendly image slugs Proceed now

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

4. You may also need to go to the WP settings -> Permalinks, revert to default then change back to what you had (if you had a custom one, copy that to a safe place).

If you want to use JIG **in place of already established NextGEN shortcodes**, there is a setting to override them on the NextGEN tab of Justified Image Grid settings.

Custom links on NextGEN images

1. Install [NGG Custom Fields](#) plugin.
2. Add a new field called 'link' to Image and Gallery Custom Fields.
3. Enter 'link' to the 'NextGEN custom field for Links' on the NextGEN tab of Justified Image Grid.
4. Start entering your custom links in NextGEN where you edit the galleries or albums.

WP Real Media Library

JIG brings extra features to showing content from RML. After you organized your library, the Shortcode Editor lets you select folders, collections and galleries by their name, (you don't need to know the IDs). You can **choose any point of your hierarchy and JIG will handle it**. Choose the top level overview to have your entire library shown with just one shortcode. If you used RML's organizational capabilities wisely, your visitors will find it easy to traverse and navigate your photos. This way there is **no need to create pages for galleries manually and/or set up custom links on pictures** to open other pages, everything is automatic.

Go to the **Shortcode Editor and choose an RML object** for use. JIG will take care of the rest.

Since WP RML source uses the WP Media Library, everything that's available for that is possible to do on RML-sourced galleries, such as **filtering, custom links, custom meta, taxonomies...**

Facebook

It's possible to fetch images of Facebook albums from your profile or a page you are an administrator of.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

The settings part

Refer to the detailed **contextual help** for more information. It's important to note that until you clicked the Save Changes button in the lower right corner, the changes are not saved! After filling in the App ID and App Secret, you need to Save Changes so you can enable the rest of the functionality.

The **message log** will help you with error/success feedback of every action you make with the Facebook authorization tool.

Setting up a Facebook app

1. Go to [Facebook Developers](#), log in then click "Register now" and complete it.
 2. Click "Create New App".
 3. Enter a "Display Name" and choose a category that is relevant then hit "Create App" (solve the captcha).
 4. If you **only ever** want to use public Facebook Pages, skip to #6. Otherwise click "Settings", then "+ Add Platform" and then choose "Website".
 5. Enter your domain to "App Domain" and the address to "Site URL" then click "Save Changes" there.
 6. Copy the "App ID" and "App Secret" to the same fields below then "Save Changes" here! You are done!
-
1. Go to Facebook Developers, log in then click "Register now" and complete it.
 2. Click "Add a New App", then enter a "Display Name" and hit "Create App ID" (solve the captcha).
 3. Click "Set Up" on "Facebook Login".
 4. Choose "Settings" under "Facebook Login" in the sidebar, skipping the Quickstart.
 5. Copy this to "Valid OAuth Redirect URIs":
`https://yourdomain.com/wp-admin/admin-ajax.php?action=jig_fb_auth`
 6. (Optional!) Only if you intend to add a friend and their administered page later, also add this:
`https://yourdomain.com/wp-content/plugins/justified-image-grid/fb-auth-other-user.php`
 7. Click "Save changes" there and from the sidebar go to "Settings", then "Basic".
 8. Click "+ Add Platform" and then choose "Website" and fill out "Site URL".
 9. Enter your domain to "App Domains" then click "Save changes" there.
 10. Copy the "App ID" and "App Secret" to the same fields here in JIG then "Save changes" here too! You are done!
- Do NOT make your App public (or you will get an error when accessing pages).

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

- Do NOT get it reviewed - when you add your current user just ignore "Submit for Login Review - Some of the permissions below have not been approved for use by Facebook." as it does not apply to you, since you are the admin.

Adding a page

Clicking on add current user will add all pages automatically. It's no longer possible to add any random public page your Facebook user has no role in.

Adding yourself or the logged in user / the user who logs in for you on your computer

Just click the **Add current Facebook user**, then click **Go to App** on Facebook. The access will expire after 2 months. To re-authorize you just have to click this button again, Facebook will renew your access silently. **If the access expires, your gallery won't show anything from Facebook so it's advised to keep this in mind.** The plugin will alert you one week prior to expiration until you renew or remove your profile. It'll be a yellow administrator notice. It'll turn to red after the 2 months. The editors won't see as they can't do much about it. If you change your password, the access expires.

Adding a 3rd party user profile

You can **ask someone else** to access their albums and pages and display them on your site. They'll need to give permission of course.

1. Log in to [Facebook Developers](#), then go to the "Roles" tab in your App.
2. Click "Add Testers" and add the username/ID of your user - it's in the profile URL. Wait until he/she accepts.

Send them the link from the input box. They'll be prompted for their basic info and photos which needs to be accepted. Upon success, a **key will be generated** that you'll need to **paste into the box in the settings**, then click **Add other user**. They'll be notified that their albums and pages could be shown outside of Facebook. Their access will expire after 2 months as well. To renew, you need to complete the second half of this process again.

Verifying the status of profiles or pages

When you have added pages and profiles, **just click them and the plugin will check if they are valid**, and whether you can get any albums from them. It also shows how much time is left until they expire and when they expire exactly.

Removing profiles or pages

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Just **click the X** next to those you wish to remove. You or the other user might want to revoke the access of the app on Facebook in the [app settings](#).

The shortcode editor part

All your efforts in the settings page were made to let you **access the albums**. This is done **in the shortcode editor**. Open it and scroll to the Facebook section. You can see every profile and page you've added. Click one so you can see their albums. If you do not wish to use the Facebook feature just set it to Do not use Facebook or don't select an album.

Adding an album

10 albums load with cover photo, the other cover photos are loaded on demand. This is to speed up things and reduce server load. Some popular pages have several hundred albums. They all load together up to 1000 albums. You can see the image count of each in the top right corner. The cover photo of an album can be loaded by hovering over it with the mouse briefly. If the photo can't load or the album turns out to be empty (or you don't have access to the album), the ability to select it will be gone. **Select an album that can load a picture**. For Wall Photos and other albums with many images **it's advised that you set a limit**. The limit is in the general settings. The default limit is 25, the maximum is 500. **Avoid loading a several hundred pictures** if you can. **Use max rows and limit together**. Once you chose an album just click Insert or Edit shortcode. The next time you edit it the **user/page will be selected** and the album will have the **blue frame around it** as well.

Adding multiple albums

Check the checkbox above the Facebook settings that says "**Select multiple albums**". After that, when selecting an album described in the previous section, you'll be able to **keep on selecting more** and more. The **frontend display will turn into an overview mode**. Thus, the blue automatic overview modes will deselect your multiple album selections as they can't be combined with single albums.

If you need to add all albums and new albums automatically but exclude certain ones, use the **Exclude selected album(s)** setting. Everything you select will be excluded, and your view will turn into the overview mode automatically.

Overview mode

Where selecting an album, choose one of the three **Overview** modes.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

- Overview with Timeline Photos, Cover Photos, Profile Pictures, Mobile uploads...
- Overview with only normal albums
- Photos from feed (timeline + photos posted by others)
- Latest one normal album, opened in the lightbox

This will result in **displaying all of the albums and you can enter them one by one** to see their photos. You can also set it up to enter the albums without navigating away from the page, using the "Open albums in lightbox" setting.

If you don't like the **facebook-album** part in the URL, you can also rewrite that on the Facebook tab in the plugin's settings, "Facebook overview slug" setting. Don't forget to flush rewrite rules there to commit the changes.

The feed feature has a really limited use for user profiles, but can be useful for pages with user photos. It can display **photos posted by others**. Make sure to **increase the limit setting to something high**, as this is like a pre-filter that scans user content for photos, and text-only posts will be discarded. Say you have a limit of 100, and your most recent 100 entries on your Facebook page are 70 images and 30 text (or other) updates, only 70 photos will show up. The Facebook API doesn't support this natively so that's why it works like this. Useful for **event pages or community pages** to show content posted by others.

Videos

Videos are placed in a different and automatic album on Facebook. JIG lets you display this **special album**. Note that it doesn't act like a normal album and is currently **not part of any overview mode** nor can it be loaded directly in the lightbox. It's a relatively new and experimental feature. Videos are played in the lightbox with a **HTML5 video player**. You can find the settings for it on the General tab.

Flickr

Similar to Facebook, you can also **load images from Flickr**. You can choose to load the images from a user's photostream, favorites, groups, photosets, galleries. **No authentication** is required, just a **mandatory API Key** you can create simply. The only restriction is that the **photos need to be public**.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

The settings part

Refer to the detailed **contextual help** for more information. It's important to note that until you clicked the Save Changes button in the lower right corner, the changes are not saved! After filling in the API Key, you need to Save Changes so you can enable more functionality.

The **message log** will help you with error/success feedback of every action you make with the Flickr user add tool.

Getting the Flickr API Key

1. Log in to Flickr then go to [Flickr Services](#).
2. Choose Non-Commercial or Commercial. In most cases non-commercial is fine and this help chooses that path.
3. Enter a name and a brief description of what you are using this for. The name can be your site's name. The description can be simple as it is automatically approved anyway.
4. Click the two checkboxes and hit Submit.
5. Your API Key is created, copy it (the longer one) from Flickr to the settings here.
6. Click "Save Changes" here! You are done! Now you can add users.
7. To add yourself: Enter your Flickr username (or NSID) below then click the button or hit enter. Click "Save Changes" if you are done.

Adding a user

The input area is **inside the button**, and it accepts the user in **any format**. You can either pass your or the user's **username**, Flickr **NSID**, the **name from the URL** (can differ from the real username), or the **actual full URL** to your/his/her photos. Click Save Changes.

Verifying the status of users

Click on the added users to **refresh their icon** and check if they everything is okay about them on Flickr. It's a simple check. Click Save Changes if the icon has changed.

Removing users

Just **click the X** next to those you wish to remove. Click Save Changes.

The shortcode editor part

The changes you made on the settings page lets you **access photos through a user**. This is done **in the shortcode editor**. Open it and scroll to the Flickr section. You can see every

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

user you've added. Click one of them, and then the plugin will load **all available sources** from that user. Best case scenario you have five sources to choose from. These are photostream, favorites, groups, photosets, galleries. It's likely that **not every one of these will show up**, it means the user doesn't use those features. If you do not wish to use the Flickr feature just set this section to Do not use Flickr.

Selecting photostream or favorites

These sources don't have the (+) in their names; it means that it's the last step of choosing these sources. No other selections will be required. It'll simply **load the recent photostream or favorite pictures**, up to the limit set by you or 25 (default limit) or 500 (maximum limit). Click Insert/Edit Shortcode button at the bottom.

Selecting group pool, photoset or gallery

These sources have the (+) in their names; it means that there is one additional step of choosing these sources. Click one of these, then a **set of your selection will display with thumbnails** and titles. You'll need to **select one** from these. Once you clicked one, a blue frame will appear around the selection. Utilize a limit for the pictures that is set by you (in the general section) or 25 (default limit) or 500 (maximum limit). Click Insert/Edit Shortcode button at the bottom. If not shown due to the possible high amount of pictures, the cover photo of each can be loaded by hovering over it with the mouse briefly.

Selecting collections

Select the Collections (+) source. If you don't have such button, it means you don't have collections yet. Collections are a hierarchical '**set in a set**' concept of Flickr. A collection can include other collections or sets but not both at the same time. The last collection in the tree will have the sets, and the collections have a Flickr-defined (sadly small) mosaic thumbnail that'll appear at a fixed layout despite your JIG settings. You can select the collections or even the sets from this screen, but the priority is on visualizing what contains what so you can make your decision by seeing everything at once. **Click the mosaic thumbnail of a Collection to select it**, and you'll see that everything inside its frame will be shown by JIG. The end result will have auto-generated subpages for every collection and set and you can go back and forth between them. Also, a breadcrumb will appear that you can setup using most of the "Collection related settings". You can open the sets in the lightbox and cycle through them instead of on their own page. That is useful for smaller portfolios. Make collection and set descriptions visible with the "Display collection / set description" setting!

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Using Flickr search

You have the ability to load any public photo from Flickr, without needing to specify or add a certain user. You can also sort this using Flickr's various sorting methods, so this may act as a substitute for standard user photostream loading options, as this is sortable. Click on the Search button on the Flickr tab in the Shortcode Editor and fill in the fields you need for your search. A value in either Text or the Tags fields is mandatory as it'll be the "limiting" parameter. The rest is just extra, like users or groups, all limiting parameters. It's important to not display content you don't have the rights to display on your site. You can use the License settings where you can tick what results to show. Geotagged photos, when filtered for, will have a data-geo HTML attribute on their img tags in the displayed grid (lat,lon,accuracy).

Instagram

The settings part

Getting the Client ID and Client Secret

Follow the Instructions for registering an Instagram app **on the Instagram tab of the Justified Image Grid settings**, as it contains information that is **specific to your installation**.

Access token

Instagram access token, if you can obtain one from a 3rd party. Certain developers were able to pass the inspection and requirements of getting public content for their Instagram Apps, even though the Instagram API policy says these kind of uses are prohibited. This settings allows you to piggyback on these other Apps and use access tokens generated through them. It'll essentially override the sandbox access token for your added user via your sandbox App, and will allow you to use the Instagram feature how it was originally.

Adding yourself

1. Click "Authorize current Instagram user".
2. Log in and **Accept** it on Instagram.
3. Then your username will be added to JIG. Click "**Save Changes**" and you are done.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Verifying the status of your user

Click on your username to see if it's valid or not. If there is a problem like your access is expired, just click "Authorize current Instagram user" again.

Removing your user

Click on the X in its button then hit Save Changes.

The shortcode editor part

Content that belongs to you

Go to the Shortcode Editor and on the Instagram tab, select "**Recent pictures of**" and your username. Then generate the shortcode and add it to the post. You'll see your most recent photos.

3rd party content that is related to you

Go to the Shortcode Editor and on the Instagram tab:

- Select "**Liked by**" your username to display what you have liked.

Unrelated 3rd party content (automatic content aggregation)

This is a really fun feature but unfortunately may not be useful for everyone or in all situations. Instagram has lots of images added every day, so this at least **guarantees fresh content**. But you have no control over the individual images and people tend to tag inefficiently, picture themselves and upload non-rectangular images (nocrop) that can adversely affect the selection of photos you wish to display.

To display **the recent pictures of any user**, click "**Recent pictures of any user (+)**". Just begin typing their username and suggestions will come up. If you wish to find a celebrity, make sure you know which one is their official username.

To **display images based on a tag**, click "**By tag (+)**" and begin typing the tag. Once you found the tag you need, select it.

To **display content from a venue or a geographical location** click "**By location (+)**". Go to [Facebook Graph API Explorer](#) and find your desired place based on a Facebook page. Then copy-paste the ID of the page to the "Search for Instagram locations" field. For example 39875583837 for Times Square. Press "**Search location**" and your place will be selected.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Don't forget to **generate the shortcode and add it to the post**. You'll see your desired automatic content.

RSS

Feeds are the most **flexible** and fun image sources. Go to the shortcode editor, open the "RSS" tab and scroll down for a tool to convert regular links of popular sites to feed URLs. The only limitation is that the **feed items need to have an image in order to show up**. Note: If the feed images are small, you need to decrease row height and deviation to avoid upscaling.

You have the ability to use **feeds like they were Recent posts** in your WP installation. With excerpt and link features it opens up new possibilities. For example, you can open the permalinks in prettyPhoto and **navigate between them using arrows**, like an RSS reader.

You can **pull your photos from other image sharing sites such as 500px**, even if there is no direct compatibility set up for them in JIG. A direct compatibility is what JIG has for Facebook, Flickr and Instagram. With RSS feeds the number of things and images you can pull from a site is limited, but overall you have the **great flexibility of pulling from just about anywhere**, e.g. your favorite blog or news site. Just make sure to **respect people's copyrights**.

YouTube and Vimeo automatic aggregation is possible using RSS feeds, with more flexibility towards Vimeo. Even without a dedicated direct compatibility, you can **set up a video gallery** by **pointing the permalinks into the lightbox** and pulling a feed (or more) of these video sharing sites. You can even merge them together and they'll be sorted by date. This is true for any other feeds that have date information.

Advanced users

You can create a custom feed and connect it to JIG. Hire a freelancer or code a feed in a language like PHP. This opens up a way to show literally anything in JIG. For example you could take photos with your **Wi-Fi DSLR in the garden**, have a script on your computer check for photos in a folder and **create a feed out of them**. Then the images would appear in JIG using the RSS feed feature. You are not far away from pulling anything you want into JIG. RSS feeds are a universal format and are not too complicated to create, so even **if there is no existing feed** to what you would like to see in JIG, chances are **one can be created quickly**.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Filtering

You have **two options** to display the filtering area. This can be the flat **button style** or a **tag cloud**. The buttons are useful when you have a **few terms to filter by** and you are looking for a **clean look**. However, if you have **many tags** (for example from Flickr/Instagram), the button style can be unusable due to the high amount of tags. The tag cloud displays individual tags in relation to **how many pictures belong to each tag**.

You'll find all settings in the plugin's settings, **Filtering tab**. In the Shortcode Editor only three settings can be found, (so there is no separate tab for them) and you'll find these on the **General tab in the Filtering section**.

This is a very **versatile feature**, and when set to automatic (on) it'll use the tags that **most image sources already use** (Flickr, Instagram, NextGEN, Recent posts and even WP images). If you have custom post types with custom taxonomies, they'll be available as well.

You have full control over the styling (CSS) of the buttons and tags. The **tag cloud works with a gradient** that creates a transition between the **tag with the least images** and the **tag with the most images**. Set the from-to font size and color in the settings.

In case you are looking for a type of **filtering that determines the images in the back-end and doesn't let users filter for themselves**, use the exclude, include, image_categories and image_tags settings for WP images (General tab in the shortcode editor). Also **check out the Recent posts** where you can pre-filter by tags, categories, **custom taxonomies** of pages, posts and custom post types.

2-level filtering

You might have noticed that a second level filtering is available for use, **with the same settings**. This will display another row of filter buttons or a tag cloud. The visitor will be able to **combine the two levels to get a more precisely filtered result** with your thumbnails. Most likely you want to use two different taxonomies. A taxonomy is like color, shoe size, or categories or tags. The correlation between the two filters are 'AND' / intersect. So only those thumbnails will show that have your selection from both levels.

In case you need to filter using the same taxonomy but separate the terms to the two levels you can set up a Custom Filter order where you can **manually specify which terms you wish to use and in what order** for your filter level.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

If you need to indicate some kind of name for your levels, you **can rename the 'All' button** to something more meaningful, according to your taxonomy. E.g. **'All sizes' or 'All colors'**, this way your visitors know **what they are filtering by** (if it wasn't obvious).

Jetpack Photon

Using [Jetpack by WordPress.com / Automattic](https://jetpack.com/learn-more), you can transform the way images are loaded in your site. There are no settings for it in the plugin as everything is handled automatically.

1. You'll need to **install Jetpack**.
2. Connect your site to **WordPress.com** (it'll prompt you to do that).
3. **Enable Photon** from their service list.

The benefits:

- Makes the thumbnails Retina / High resolution display ready (by devicepx.js, only with Photon) – up to a point where the original image has a resolution high enough
 - You can easily test this by zooming into the site on a desktop, the thumbnail's will remain crystal clear, same as on a Retina / High resolution screen without zoom
- Improves load performance because it's like a CDN for your images
- It replaces TimThumb (no more permission issues), because it can resize images on the fly, much like TimThumb, if not better
- For all your thumbnails
- For images on the WP installation (post galleries and recent posts)
- For images of NextGEN even though the original NextGEN doesn't support Jetpack Photon (yet)
- It'll essentially lower the load on your hosting, especially noticeable if you are using cheap and/or grid based services, which also means your monthly bandwidth transfer will be lower
- It's free

The considerations:

- It requires Jetpack plugin installed and the site being connected to WordPress.com

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

- It's not available for Facebook/Flickr/Instagram images in the lightbox (only the thumbnails)
- Special effects (made by Pixastic) are unavailable as images will be served from another domain (cross-domain security)

CloudFlare

CloudFlare is an excellent service which has many benefits for your site with minimal cons. It's different from Jetpack Photon, but in some terms, it's better. There are no settings for this in the plugin as everything is handled automatically.

1. Go to the [CloudFlare](#) website and Sign up, follow their directions.
2. There is also a [CloudFlare WP plugin](#) which you should install to get proper analytics.

The benefits:

- Improves load performance because it's like a CDN for your static resources
- They have servers all over the world (almost), so if you have an international site, and your hosting is in the USA for example, it'll still be very fast from Europe as they have numerous servers closer to the visitor than the original hosting's server(s)
- Works for all thumbnails by this plugin (remote source images have a local thumb nail, so it'll work with Flickr, Facebook and Instagram images as well)
- Works for all other local images, CSS and JS files (static resources) in your site
- It'll essentially lower the load on your hosting, especially noticeable if you are using cheap and/or grid based services, which also means your monthly bandwidth transfer will be lower
- It'll make the site more secure as attackers are filtered through their service
- Special effects by Justified Image Grid will still work. You won't be able to tell the images are by CloudFlare or not, just by looking at their URLs. They'll look like they are still loaded from the original location.
- It's free

The considerations:

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

- The DNS records for your domain will need to be managed by their name servers
- Won't make your images Retina / High resolution display ready
- Doesn't replace TimThumb thumbs like Jetpack Photon does

CDN

If you have your own CDN set up, you can rewrite the URLs to include the CDN's host instead of the regular host. It's a setting available in Justified Image Grid settings, TimThumb & CDN tab. Not in the shortcode editor as it's a global setting. If you have a CDN you should already know its benefits and considerations so we won't list them here. Also it varies by CDN provider.

Updating


Automatic updates (preferred)

Since v1.9 the plugin auto-updates. You always receive update notifications, but can only get the package if you add your Purchase code to the settings for license verification purposes.

To enable this feature:

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

1. Get your purchase code:



2. Enter it to the "Purchase code" setting on the General tab of JIG settings.
3. You'll get automatic updates from now on. If your code becomes invalid you'll only receive notifications but no download package.

With FTP access

1. Go to `/wp-content/plugins/justified-image-grid/`
2. Upload the contents of the `justified-image-grid.zip` there, overwrite everything
3. You can deactivate the plugin before this, and reactive after. We found this optional, but if you wish to do so, you can do it on the plugin page: `/wp-admin/plugins.php`

Your settings will be kept.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Without FTP access

1. Deactivate the plugin
2. Remove it.
3. Upload the new version of justified-image-grid.zip just like you did the first time.

Your settings will be kept. This means the plugin won't remove its options from your database. It uses one option to store all values to minimize database clutter.

Backup import/export and uninstall, reset settings

If you wish to export or import settings, you can do so at the "Backup and uninstall" section of the General tab in the plugin's settings.

The same section has a feature called Wipe settings that lets you start over if you think something went wrong.

If you want to properly uninstall the plugin (not for the purpose of updating but no longer using it), you can remove all traces of it by setting the "On uninstall" setting to "Full removal".

Localization / translation

You can use **WPML's String Translation module** to translate any string of the admin area, they are in the context of "plugin_justified-image-grid". This is also for texts that show on the frontend, e.g. error messages can be translated. **Customizable texts from the settings are also translatable**; they are in the context of "admin_texts_plugin_justified-image-grid". If you don't see these contexts, follow these steps:

1. Go to WPML: "Theme and plugins localization"
2. Choose "Translate by WPML"
3. In the bottom area tick Justified Image Grid in the "Strings in the plugins" table
4. Also tick "Load translations if found in the .mo files." in the bottom
5. Then "Scan the selected plugins for strings"

In any other case:

1. Locate the languages/**jig_td-LOCALE.po** file.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

2. Make a copy and replace the LOCALE with your locale.
For example, **jig_td-es_ES.po** for Spanish.
3. Download the Poedit software, and open the new file in it.
4. Translate the texts, and then save.
5. Upload it to /wp-content/plugins/justified-image-grid/languages
6. If your WordPress installation has **define('WPLANG', 'es_ES');** in the wp-config.php you should see the translated text in the plugin.

Use WPML (with String Translation) to translate everything Justified Image Grid outputs including those texts that you can re-write in the admin areas.

Template tag (header, footer or any other location)

You can put the gallery anywhere in your theme without a shortcode. The template tag behaves the same way as it accepts the **same parameters** and **can be generated** conveniently.

1. Create a shortcode that is not empty and has an image source like: **ids, id, include, or flickr/facebook/instagram/nextgen/recent_posts** features.
2. Edit your other settings as you wish, then click on the **Generate template tag** button on the last tab.
3. **Copy the tag** to a PHP file of your theme. If you are putting it inside `<?php ?>` already, just remove those.

If you save the shortcode (insert to the post then cut and paste elsewhere), you can store these settings for later editing. We recommend doing so because you can go back, change one setting, and then regenerate the template tag.

In sidebar / as a widget

1. Create a shortcode that has one of these attributes: **ids, id, include, or flickr/facebook/instagram/nextgen/recent_posts** features.
2. Copy the shortcode.
3. Paste the shortcode into a text widget in your sidebar.

Note: This plugin makes your site support shortcodes in the text widget.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

Custom links on the images

You can point images to other than the lightbox. To access this feature simply use the **JIG Link and JIG Target** fields in the **WP image editor (Add Media or Media Library)**. Set an absolute link (starting with http or https) as the JIG Link. You can choose a default target in the shortcode editor or the plugin's setting if you don't wish to select it manually for each image. You can set nofollow by using the `custom_link_follow` setting on the lightboxes tab.

If you are interested in custom links on NextGEN images check out the paragraph called "Custom links on NextGEN images".

To open the custom link to a page in a prettyPhoto iframe:

Add **?iframe=true** to your link like this: `http://www.google.com/?iframe=true` and select JIG Target: Lightbox: video / iframe / another image.

To open another image in the lightbox

Add the link to the other image to JIG Link and select JIG Target: Lightbox: video / iframe / another image.

Video support

This option is **only designed for prettyPhoto and FooBox** so if you are using a mobile lightbox, set it to be same as desktop.

You can change the video popup's size in the prettyPhoto JS settings under the Lightboxes tab of the plugin's settings:

```
default_width: 960,  
default_height: 540,
```

YouTube or Vimeo

You can **fetch YouTube or Vimeo content automatically** using RSS feeds. Check out the shortcode editor's RSS tab for more information. There are detailed instructions on obtaining feed URLs of these or other popular sites.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

In order to open videos from the thumbnails, you need to enter a **YouTube** or **Vimeo** video URL into the JIG Link field in the WP image editor (Add Media or Media Library). The proper formats are this:

<http://www.youtube.com/watch?v=XPBwXKgDTdE>

http://www.youtube.com/watch?v=8xg3vE8le_E

<http://vimeo.com/21294655>

<http://vimeo.com/22669590>

In addition, you need to select "Lightbox: video / iframe / another image" as the JIG Target. You need to have an image in the gallery that acts as the video thumbnail.

Locally hosted (WP media library) or Instagram videos

WordPress recently included the **Mediaelement.js HTML5 video player**. JIG includes a solution to open a lightbox with that player in its iframe.

Use the JIG Link field on WP media library images and enter the **full URL of your desired video**. You can copy that URL from the File URL field in the Media Library when editing that video. It should be in mp4 or similar format.

Set the **JIG Target field to Video player**. You must have prettyPhoto or FooBox selected as active lightbox in order to use this feature. If you don't use these lightboxes and/or your are on a mobile device, they may open in a new tab instead (with the same player).

When showing content from Instagram, video content is played in this player, the only difference is that the video URL and JIG Target is set up automatically for you.

Troubleshooting

Please see the most current online troubleshooting guide here: <http://justifiedgrid.com/support/fix/>

Problem	Solution
Nothing shows up , not even the shortcode as the content, or it's only generating some whitespace .	Do you have images attached to your post ? If you don't have any, do you have the 'IDs' or 'include' attribute populated with WP media attachment IDs (image IDs)? You can also choose from other sources, but have something enabled (Facebook, Flickr, Instagram, NextGEN, Recent posts). Otherwise, you likely have made an error (typo) in one of the settings. Check if you have used any characters other than numbers in the fields

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

that should only have numbers. Quick fix is to push one of the **preset buttons** that will reset all your settings to a working state. Also, try removing all attributes from the shortcode.

Other possibilities:

1. Check if your **WP installation is the latest** - If not, upgrade.
2. Check if your site loads the plugin's **js in the footer** (view source). If not, add `wp_footer();` to the footer.php of your theme.
3. The **minimum visible width of the plugin is 10px**, under this it won't show anything.
You might need to set a fixed width if you are experiencing this. General settings -> Custom width (whole grid) and Width mode: Fixed: Non-responsive.

You can manually call this JavaScript line to refresh the gallery after your site has loaded:

```
jQuery('.justified-image-grid').data('justifiedImageGrid').createGallery('resize');
```

4. Click the link in the settings page, TimThumb section to **check the permissions**. Does it say writable? Follow the instruction there.
5. Go to the media library and click one of the pictures that supposed to show up in your gallery. Next to the thumbnail, under the upload date, there should be the dimensions. If that information is not there, delete the images and re-upload them from a different browser. If the dimensions information is not there for some weird reason, the plugin cannot work with your images. The images need to be uploaded again (try a different browser).
6. If all of these fail, continue reading or **contact the author**.

Otherwise, most likely, it's still a TimThumb problem, and that's because your **server setup is unusual**. If you can, check the browser's console.

If you see `timthumb` lines in the list of files that get loaded, but no images, then it could be a permissions problem. If point 4 above didn't work, go to FTP, enter the plugin's folder, give 777 permissions to `timthumb.php`, the cache folder and its contents (2 files).

Do you see a lot of 403 or 404 errors? You have to add this to the top of the `.htaccess` file of your WP installation:

```
SecFilterEngine Off
SecFilterScanPost Off
```

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

	<p>Are you using HostGator? Contact their support to lift this restriction, send them these: http://support.hostgator.com/articles/pre-sales-policies/secfilterengine-and-secfilterscanpost http://wordpress.org/support/topic/timthumb-htaccess-fixed</p> <p>This can also apply to other hosts using Apache 2. Possibly also send them one of the rows from the browser console that is giving you 403 or 404.</p> <p>With v1.3, TimThumb has been modified to treat the image as external if it can't be found internally. This should fix error regarding to loading the images from a custom path on your domain, or not using WP on the top-level domain. The following is kept for your reference, or if you are using an unmodified TimThumb.</p> <p>Isn't WordPress on the top level on your domain? Do you have something like yourdomain.com/~username/wp-content? In some cases, a bad configuration drives TimThumb (the 3rd party image-resizer script) crazy. It can't find the image on the server's file system. You'll need to edit the timthumb-config.php file in the plugin directory with your path in it as:</p> <pre>\$_SERVER['DOCUMENT_ROOT'] = '/path/to/wordpress';</pre>
<p>It looks like the lightbox is conflicting with my theme's lightbox</p>	<p>You need to disable either the theme's lightbox or the plugin's lightbox. If you are using prettyPhoto and you don't wish to use the one in JIG, instead of disabling it in JIG you can define a constant in the functions.php of your theme:</p> <pre>define(JIG_SKIP_PRETTYPHOTO,true);</pre> <p>It'll make JIG not load prettyPhoto but use the one already in use.</p>
<p>I'm getting a red jQuery notice</p>	<p>Your jQuery version is old, set a jQuery source in the plugin settings. Choose anything other than the default, preferably a Google one. If this doesn't solve the red notice, contact the author. Other plugins or themes may override this plugin's preference. In your theme's functions.php or header.php, look for the jQuery loading part, by the version number. Replace that link with the latest jQuery from google CDN or physically replace the file with the new jQuery, under the same name...</p>
<p>How can I display multiple galleries on one page?</p>	<p>Enable "Take over and replace [gallery] WordPress gallery shortcodes" in the General settings, by setting it to "Yes, act in place of the [gallery] shortcode." then just add multiple galleries using WP Add Media workflow.</p> <p>OR</p> <p>WP 3.3-3.4 only: Create a post or page for each gallery. They'll be</p>

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

	<p>dummy posts, you don't need to publish them, just keep them. Note their ID in the URL bar. In your main post to which you want to add all those, enter the number to the ID attribute of the shortcode. Repeat this for each different gallery.</p> <p>OR</p> <p>Use the "IDs" or "include" shortcode attribute to select images for each gallery in your post. E.g. you have 20 photos and 5 galleries (5 shortcodes), and include only the photos you want per each shortcode (gallery) you add. You can figure out the media IDs by going into the Media Library and hovering over the links to the images. Check the status bar of the browser for the IDs.</p> <p>OR</p> <p>You can use images from different sources other than the WP post. Use Facebook, Flickr, NextGEN, Recent posts...</p>
The captions are not showing , the lightbox is not working , and there is no animation on mouse over	You should have got a red jQuery notice. If not, then your site uses an old jQuery version. Go to the settings and select any other method for jQuery loading than the default one. It'll automatically load the latest jQuery for your site.
I can't see the grid but the shortcode is visible as the content.	Check if the plugin is installed and activated . It should replace the shortcode if it's activated. Check if you have made any typos in the shortcode. You can't use [] characters in the link rel using shortcodes. (Or anywhere else in the shortcode.) Use (). Don't separate the shortcode to multiple lines. You don't need to use ' ' characters in the shortcode - except for long values with spaces (e.g. CSS values).
I would like to make an image in the gallery link to something else	The native WP Link URL in the media settings was buggy for a long time. It doesn't work for galleries too well. We added ' Custom link for Justified Image Grid ' alias ' JIG link ' & ' JIG target ' in the Add Media (image editor) for this purpose so please use that. The link class, rel, and lightbox will be turned off for this link and it'll open in the same tab/window by default. Use the link target to modify that. If you want to link to posts, use the Recent posts feature that does it automatically for you (in case you want to display recent posts, of course). You can also use this to open videos in prettyPhoto (you need to use video as the target).
I resize the window but the gallery width is not adjusting	You need to have a liquid, full width or at least a flexible width page layout defined by your theme . Try looking for a full width layout under the 'Template' in the 'Page Attributes' box on a page edit screen in the admin. The gallery will only resize if the width of its container element is changed . If it's in a fixed width div and you resize a nonresponsive site then it won't update itself.
The settings or a setting on the plugin page is not changing	Check if you have used shortcode attributes in the post/page because those will always override the plugin page settings . Check typos!

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

anything about the gallery	Especially if you've chosen a preset for the shortcode, the main settings won't have any effect.
It says communicating with Flickr or Facebook or Instagram forever.	In most cases this is a server configuration error. E.g., your server should support SSL. Please see the browser console or contact the author for more information.
FooBox is not working as intended	Make sure you have the latest version of that plugin installed. For other problems, you can contact the plugin's developer.
Social Gallery is not working as intended	Make sure you have the latest version of that plugin installed. For other problems, you can contact the plugin's developer.
The lightbox shows a wrong / misplaced caption.	With the <code>link_title_field</code> and <code>img_alt_field</code> settings you can set up which position in the lightbox gets which field from WP. You can even set all four fields to appear in your gallery. For example, WP title as the main caption on the thumbnail, WP alternative text as the description part of the thumbnail caption (<code>caption_field</code>). In addition, the WP caption can act as one text in prettyPhoto , then the WP description as the other text in prettyPhoto...
Some images are missing and/or the image won't load when clicked	<p>Sometimes WordPress fails to link to the image file, and only links to the path of the image. This might be because of a broken image. If you have used rebuild thumbnail tools, try using them again or re-uploading the pictures. Try inserting the picture on its own to the post. If it still doesn't show then you should re-upload that picture.</p> <p>Make sure error checking is on and you shouldn't see whitespace where images should load. If the big image can't load and you are serving them from Facebook there is nothing you can do. Facebook sometimes fails to serve images, and most likely, it's missing if you go on Facebook directly and check it that way! Even famous celebrity pages have unloadable images.</p> <p>When experiencing this using Flickr, check out the "What to do with small images" setting on the Flickr tab in the plugin's settings.</p>
The images are not justified!	<p>Check the row where it starts to go wrong: do you see an empty space to the left of an image that doesn't make sense? It's a sign that there is an image, which is broken. Make sure your uploaded images are error-free. If you have received HTTP ERROR during uploading to WP, then that's the cause. The images might appear in the media library but they can have missing metadata that is required for the plugin to work. (The dimensions of the image.)</p> <p>It is possible that your site's CSS is interfering with the gallery. Use browser debug tools like firebug or 'inspect element' features to screen these errors. Contact us if you are stuck.</p> <p>Do not add borders to the images with CSS! There are built in options for that.</p> <p>Make sure the Incomplete last row mode is not set to 'center'.</p>
The animation is choppy.	<ul style="list-style-type: none"> Try reducing the amount of effects: use a fixed caption or just

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

	<p>the fade effect.</p> <ul style="list-style-type: none"> • Try disabling the overlay or the desaturation effects. • Try a different row height. If you have a lot of small images, disable the caption because it won't be readable anyway, this also reduces the animated elements. • Try turning off the animation while keeping the effects by setting animation speed to 0. Close the debugger tools (firebug etc.) because it runs slowly when they are open. • Try restarting your browser as it might have suffering because of the amount of tabs you opened during its run. • Close flash / HD videos playing in the background. • The mouse enter/leave handling has been optimized and should run smoothly on most modern computers. Especially with jQuery v1.8+ The animation runs above 30fps on a 5-year-old PC with lots of windows and tabs open at a time of testing.
Color images flash for a split second when I resize the browser window (when I have desaturation on 'others' or 'everything').	It's normal, the browser needs to redo the desaturation or other special effects because of the changed image dimensions. Otherwise it's re-creating the grid because of skipping unloadable images.
The images are not fading in	It's a known error that happens in IE. It can't fade absolute positioned elements if they are the child of the animated element.
The caption isn't sliding but fading in and out.	In Safari or IE7 or lower the slide effect doesn't work. You can only apply sliding to the description, when the title is always visible. It's called 'mixed'.
Tooltips appear / don't appear when the mouse is over the images.	The plugin makes an effort to hide them. You should see no tooltips at all. IE7 and lower are not 100% supported.
Mouse hand cursor appears as hand even though I turned off the clickability. / Mouse cursor doesn't appear as hand but it should.	Is this on IE7 or lower? Then that's why, sorry.
There is no prev/next button in the lightbox	Use link rel to group them together.
The prev/next button is too low.	It's a prettyPhoto conflict in the Duotive Three theme, try other lightbox.
There is an extra row in prettyPhoto's bottom caption area	That's how it is when you disable the social tools for prettyPhoto.
Why does the TimThumb path have an extension at the end?	That makes the images cacheable by CloudFlare. It doesn't hurt TimThumb, which simply ignores it.
The spacing between the images is uneven	Have you zoomed in or OUT of the page (ctrl+mousewheel on PC)? Please reset the browser zoom to 100%! Also you might have border added to your images via CSS by your theme.
This doesn't work at all (I have an AJAX site).	Disable conditional script loading in the General settings.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.

There is something weird with the overlay / I can see my theme's overlay	Indeed your theme defines an overlay effect on the image links. Try disabling the overlay of this plugin.
I can't see the social sharers - It's not loading the plugin's version of prettyPhoto / ColorBox (it's loading the theme's) / I can't see the social tools in prettyPhoto.	Disable your theme's version, or choose a different one in JIG.
The social tools don't share the individual pictures (prettyPhoto)	Please enable advanced deeplinking in the prettyPhoto settings
I have a lot of expired transients in the options table! (advanced user).	When you change a Facebook/Flickr setting the old transient is never requested again, therefore it's not deleted. It's apparently not a problem unless you change it every minute. You can purge it using the various purge links in the Settings (found at the image sources' caching settings). For more information on this topic: http://wordpress.stackexchange.com/questions/6602/are-transients-garbage-collected

Thank you for purchasing this product! Please rate with 5 stars on the download page of your account on [CodeCanyon](#) if you like it.

Thank you for purchasing this product! Please don't forget to rate with 5 stars on the downloads page on CodeCanyon if you like it. Leave a comment on JIG to get in touch.